Historic, Archive Document


Do not assume content reflects current scientific knowledge, policies, or practices.



☆ FEB 2 6 1937 ☆

REOUTTED

The second secon



Hardy Plant Material

for 1937

Snyder Bros., Inc. Center Point, Iowa



ANOTHER SHORTAGE

The extremely hot dry summer throughout the country again makes a shortage of most nursery stock.

Growing conditions here were considerable better than in most sections, but the loss of young stock was heavy and the growth of established stock shortened.

A few items were damaged beyond recovery and are temporarily out of the list. Established plants which did survive, finished the season in fine condition, after the copious rains in September.

EQUIPMENT. A clay block building 100x100 feet with a large double walled, insulated apartment provides room for storing and packing deciduous trees and shrubs with a minimum loss of vitality.

LOCATION. The nursery is on paved Highway No. 11, which connects with the Lincoln Highway seventeen miles South at Cedar Rapids, and with No. 20, twenty-five miles North, at Independence. The office and storage house are just South of C. R. I. & P. station and across the tracks from the Highway. The fruit and nut orchards are one and on half miles South of the nursery on No. 11.

VISITORS can motor through the nursery when it is dry, on well maintained drives.

BUSINESS HOURS. 7 to 12 A. M. and 1 to 6 P. M. week days. Please do not expect digging done on Sundays.



EVERGREENS

TRANSPLANTING. All evergreens we offer are dug fresh as sent out. If the buyer comes to the Nursery after them, which is the best way to do, they can be lifted directly from the row to his truck or trailer and have a minimum of exposure. This is very important. If the roots of evergreens once become thoroughly dry in handling or planting they cannot be revived, as can other trees. Failure in transplanting them is largely due to allowing them to become dry while planting, to not packing good mellow moist soil; or much better yet a mixture of equal parts of such soil and pulverized, moist peat, very firmly around the roots; or to not watering them and conserving the moisture about them though the summer by frequent shallow cultivation or by mulching. An area 3 or 4 inches deep and 3 feet in diameter or as wide as the spread of the tree can be filled with pulverized peat instead of soil and will provide the ideal means of getting water into the soil about the roots and holding it there.

SPACING. For single row windbreaks plant Pines and Spruces 7 to 8 feet apart; for double rows of Pines or Spruces 10 to 12 feet. For low hedges to be sheared, plant 18 to 24 inches apart, depending on the size of the plants.

SOILS. Plant Pines on dry or well drained soil. All pines, and particularly White Pine, may be short-lived if planted in very rich soil such as an old feed lot, or where the drainage from a feed lot runs onto them. The Bull Pine will do well on very dry gravelly soil. In places where it is quite wet at times, Spruce will be better.

PESTS. Red Spider or Mite causes much damage sometimes in the growing season. A rusty appearance is likely to be due to it. Water applied under a high pressure to the tops every few days is an effective remedy. Pine Needle Scale is found almost everywhere and sometimes becomes a serious pest. White spots on the leaves of pine or spruce are likely due to it. Both this and Red Spider can be controlled by a single thorough spraying with Lime Sulphur such as orchardists use, in the regular dormant strength (1 to 8 of water) applied on warm days in spring before the new growth starts. Soluble oil sprays also are effective, but must be used with much caution. Frequent dashing showers through June, when the young are crawling, will control them.

BARE ROOTED EVERGREENS

PRICES, in this section are for unsheared trees and do not include Ball and Burlap; if wanted that way, the expense of making it and cost of handling the additional weight must be added. Each X represents one transplanting.

Douglas Fir—Douglas Spruce, 70 to 80 feet This Colorado type endured the heat and drought of 1936 better than any other spruce or fir.	Size 15-18 in 18-24 in	. XX ·	Each \$0.50 .60	Per 10 \$4.50 5.50	
Pine—Bull, Pinus Ponderosa, Western Yellow Pine, 50 to 80 ft. A native of the Black Hills, with very long needles and stout branches, not broken by heavy sleet or storms. Not injured by drought and heat.	18-24 in 2-3 ft 3-4 ft 4-5 ft	. XX . XX	.50 .60 .75 .90	4.50 5.50 6.50 8.00	40.00 50.00 60.00

—densifolia, Japanese Red Pine 80 to 90 ft. Long dark foliage, sometimes browned in winter. Rapid growing when young. Picturesque when old.	2-3		XX XX	Each \$0.50 .60	Per 10 \$4.50 5.50	\$40.00
—Scotch, 40 to 50 ft. Easier to transplant than others and more rapid growing while young; makes a wide-spreading tree with yellow-red scaling bark.	2-3 3-4	ft. ft.	XX	.50 .60 .75 .90	4.50 5.50 7.00 8.00	40.00 50.00 60.00
—White, Pinus strobus, 70 to 90 ft One of Iowa's few native conifers and one of the best for windbreaks. Tolerates some shade and consider- able drought, but not wet soil.	2-3 3-4	ft. ft.	XX XX XX XX	.70 .85 1.00 1.25	6.50 8.00 9.50 11.00	60.00 75.00 90.00 100.00

SPECIMEN EVERGREENS WITH BALL AND BURLAP

The following prices are for well developed trees mostly sheared, dug with a solid ball of earth and securely burlapped and bound. Read the paragraph on transplanting on the previous page. Do not remove the burlap. Dig the hole large enough that it can have a 2-inch lining of peat. After the tree is in the hole and enough peat and soil filled in to hold it, cut the burlap loose around the top and pour in plenty of water, otherwise proceed as with bare rooted trees. Large trees over 9 feet should be ordered before hard freezing so they can be mulched for winter digging, and the ball of dirt frozen solidly before moving. Imperfect specimens (defective on the side or at the bottom) can often be used as effectively in groups and will be priced according to quality. Each X represents one transplanting.

ARBORVITAE—American, Thuja occidentalis. —Dark Green A selected dark green, broadly pyramidal form grown from cuttings. One of the hardiest, and most drought-resistant Arborvitae we have.			XX XX XX	Each \$3.00 4.00 5.00
—Geo. Peabody's Golden, 12 to 15 ft	18-24	in. ft.		1.50 2.00 2.50 3.00
—Pyramidal, 15 to 20 ft	3-3½ 3½-4 4-4½ 4½-5 5-6	ft. ft. ft. ft. ft.	XXX XXX XXX XXX XXX XXX XXX	2.00 2.50 3.00 4.00 5.00 6.00 7.00
—Siberian, 10 to 15 ft. One of the hardiest of all the Arborvitae, very compact, broadly conical in form and with dense, dark green foliage. With very little shearing can be made into perfect globes. Unsheared old plants have a billowy outline like Box.	$2-2\frac{1}{2}$	ft.	XXX	1.50 2.00 2.50

—Tom Thumb, Thuja ellwangeriana, 4 to 6 ft	Si: 12-15 15-18	in.	XX XX	Each \$1.00 1.25
CHAMAECYPARIS pisifera filifera (Thread Retinospora), 15 to 20 ft. Long stringy drooping branches, bright green.	2-2½ 2½-3	ft.	XX XX	2.00 3.00
FIR—CONCOLOR, 70 to 80 ft. The Silver Fir of Colorado. The handsomest tall evergreen which grows here, and the most free from pests. The foliage is long, flat, curved, and not prickly like other evergreen foliage. The color ranges from silvery blue to clear green. Old trees have a regular conical outline and retain their branches to the ground. Concolors endure heat and drought splendidly but do not like being crowded and do not thrive in a smoky or sooty atmosphere.	$18-24$ $2-2\frac{1}{2}$	in. ft. ft. ft.	XXX XXX XXX	1.50 2.00 2.50 3.00 4.00 6.00
—Douglas, Pseudotsuga douglasi. The Colorado type also known as Douglas Spruce, 70 to 80 ft	2½-3 3-4 4-5 5-6	ft. ft. ft. ft.	XX XX	2.00 2.50 3.00 4.00
HEMLOCK—Canadian, Tsuga canadensis, 30 to 40 ft	$18-24$ $2-2\frac{1}{2}$ $2\frac{1}{2}-3$	in. ft. ft. ft.	XXX XXX XXX	1.00 1.50 2.00 3.00 3.50 4.50
JUNIPER—Chinensis, Chinese Juniper, 20 ft		ft. ft.	XX XX	1.50 2.00 2.50 3.00
—Pfitzer, 5 to 6 ft	$2-2\frac{1}{2}$ $2\frac{1}{2}-3$ $3-3\frac{1}{2}$ $3\frac{1}{2}-4$ $4-5$	ft. ft. ft. ft. ft.	XXX	2.50 3.00 4.00 5.00 5.50 6.50 7.50
—sargenti, Sargent Juniper, 1 ft	18-24 2 -2 ½	in. ft.	XX XX	3.00 4.00
—Communis, Common Juniper, 8 ft. or more	4-5 5-6	ft. ft.	XXX XXX	3.00 3.50

	Siz	Έ		Each
Communication Delich Tunings 10 to 20 ft			vv	\$1.50
-Communis cracovica, Polish Juniper, 10 to 20 ft				'
A slow-growing, upright, many branched, vase				2.00
shaped dwarfed variety with silvery green foliage	2½- 3	ft.	XX	2.50
unchanged in winter. Endures some shade.				
-Communis depressa, Canada Juniper, 3 ft.				1.50
A spreading low form with upright branches, silvery	18 - 24	in.	XX	2.00
marked, pointed foliage.				
-Communis depressa aurea	19_15	in	XX	1.25
A form with bright golden new growth.	12-10	111.	2121	1,20
-Communis depressa Plumosa, Andorra Juniper,				
1½ ft	2-21/2	ft.	XX	2.50
A rich bright green in spring and summer, and at-	$2\frac{1}{2}$ - 3			3.00
tractive purplish bronze in winter. Very hardy and	3-4	ft.		3.50
· ·				
prefers mostly sun. Very rapid growing.	4-5	ft.		4.50
-Communis sueica, Sweedish Juniper, 20 to 30 ft	18-24	in.	XX	1.50
A tall columnar form.				
-Japonica, Japanese Juniper, 1 ft.	15-18	in.	XX	2.00
Wide spreading, prostrate growth. Leaves sharply		in.	XX	2.50
pointed, bearing two white lines. Very hardy. One		ft.	XX	3.00
of the best for rockeries. Slow growing.	3-4	ft.	XX	4.00
-sabina, Savin Juniper, 4 to 5 ft.	18-24	in.	XX	2.00
A bushy little tree with semi-erect branches and	$2-2\frac{1}{2}$			2.50
clear green foliage. Excellent for foundation plant-	$2\frac{1}{2}$ -3			3.00
	,			
ings, rockeries, or dry sunny places. Endures city		ft.	XX	3.50
atmosphere well. Remains green in winter.	4-5	ft.	XX	4.00
-sabina tamariscifolia, 1 to 1½ ft.	12-18	in.	XX	1.50
A vigorous prostrate variety with blue-green fol-				2.00
		ft.		5.00
-sabina Von Ehron, 5 to 6 ft.				1.50
A wide-spreading, irregular variety. Very rapid	$2-2\frac{1}{2}$	ft.	XX	2.00
growing and picturesque. Fine at pool sides for				
reaching over the water.				
-scopulorum Blue Moon, grafted	914 9	££	vv	3.50
Upright. Very delicate, silvery blue foliage.	3-31/2	It.	XX	4.00
-scopulorum hilli, Hill's Silver Juniper, grafted	2-21/2	ft.	XX	3.00
Upright. Very light blue.	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$			3.50
oprignt. Very light blue.				
	3-31/2			4.00
-squamata meyeri, Meyer Juniper, 4 to 6 ft				2.50
Dwarf, irregular, upright, shining blue in various				3.00
shades. Splendid in rockery. The most colorful				0.00
of all.				
-virginiana, Red Cedar, 25 to 30 ft	6-7	ft	XXX	4.50
Sheared specimens of our native Red Cedar. Splen-	0-1	IU.	4×4×4×	T.00
did blue or green summer coloring, purplish-red in				
winter. Thrives in poor dry soils.				
-virginiana cannarti, 15 to 20 ft.	18-24	in.	XX	2.00
A grafted pyramidal form, remaining green in		ft.		2.50
winter.	_ 0	_ ~•	41	2.00
44 TIIO (T.				

	Siz	:e		Each
—virginiana glauca, 15 ft.				\$2.00
An upright, grafted variety. Silvery blue, very bright in the spring.	$2-2\frac{1}{2}$ $2\frac{1}{2}-3$			$\frac{2.50}{3.00}$
—virginiana pyramidiformia, Hills Dundee Juniper	, –			3.50
A grafted pyramidal form with compact regular	$3-3\frac{1}{2}$	ft.	XX	$\frac{3.30}{4.00}$
growth.				
LARCH—European, 50 to 60 ft.		ft.		2.00
A conifer, but not an evergreen. Makes a striking- ly beautiful specimen in large landscapes. The fol-	4-5 5-6	ft. ft.	XX XXX	$\frac{3.00}{4.00}$
iage is especially beautiful; soft green in spring,	6-8	ft.	XXX	5.00
and soft yellow in the fall.				
PINE—Austrian, Pinus Nigra, 40 to 60 ft.				1.25
Long, rich green, coarse foliage. Vigorous. Fine in background. Endures the smoky atmosphere of	2-3	ft.	XX	1.50
the cities better than most evergreens.				
-Bull, P. ponderosa, 50 to 80 ft.	2-3	ft.	XX	1.50
Very long leaves and stiff rugged branches. En-	3-4	ft.	XXX	2.00
dures the dryest, most exposed situations best of all the list. Requires sun and tolerates no crowding.	4-5	ft.	XXX	3.00
—flexilis, Limber Pine, 40 ft.	2-3	ft.	XX	2.00
Bluish-green foliage. Stout, horizontal, flexible		ft.	XX	2.50
branches. Slow growing, quite informal.				
—Japanese Red Pine, P. densifolia, 40 to 50 ft.				1.25
Long, dark green foliage. A very rapid growing, wide-spreading, handsome variety, which will en-		ft. ft.	$XX \\ XX$	$\frac{1.50}{2.00}$
dure much exposure and add much to a landscape.		ft.	XX	2.50
-Mugho, Dwarf Mountain Pine, 3 to 5 ft				1.50
This makes a compact dome-shaped bush broader than high. Sizes apply to width rather than height.	18-24 2-21/2		XXX XXX	$2.00 \\ 2.50$
Endures some shade and much heat and drought.	. –		XXX	3.00
Thrives in any well drained soil. One of the best of all dwarf evergreens. Makes an excellent shear-	. –		XXX XXX	4.00 4.50
ed hedge.	. —		XXX	5.00
-Scotch, P. sylvestris, 25 to 30 ft	2-3	ft.	XX	1.50
Bright green at all times, and endures city conditions exceptionally well. Shears well.	3-4 4-5	ft. ft.	XXX XXX	$\frac{2.00}{2.50}$
—White, P. strobus , 60 to 100 ft. ———————————————————————————————————	2-3 3-4	ft. ft.	XX XX	$\frac{1.50}{2.00}$
shade. It is the longest lived and largest growing	4-5	ft.	XXX	2.50
pine. Old specimens are especially beautiful. Must be in well drained soil.	5-6 6-7	ft. ft.	XXX XXX	$\frac{3.00}{4.00}$
SPRUCE—Black Hills, 50 to 70 ft				1.50
A native of the Black Hills. It does very well over			XXX	$\frac{1.30}{2.00}$
a wide range and makes the finest specimens of all			XXX	2.50
Spruce. This is a very variable species, ranging from very compact dwarfs to more open, rapid-			XXX XXX	$\frac{3.00}{3.50}$
growing trees, and from clear green to silvery blue-	4-5	ft.	XXX	4.00
green. Our trees are mostly a very compact and slow-growing type. In dry seasons it should be		ft. ft.	XXX XXX	$\frac{5.00}{6.00}$
closely watched and treated for red spider.		. •		3.00

	Size	Each
-Colorado Blue, Picea pungens, 25 to 40 ft		
—Selected Blue Specimens, Shiners More used as a specimen tree than any other evergreen. Rather slow-growing, regular, compact, with very sharply pointed blue foliage. Subject to red spider injury if neglected.	15-18 in. XXX 18-24 in. XXX	\$2.00 2.50 3.00 4.00 5.00 6.00
—Green Specimens The same fine, compact form as the Shiners, but clear green or slightly blue-green foliage. Often, but not always, they develop a blue color with age.	2-2½ ft. XXX 2½-3 ft. XXX	2.00 2.50 3.00 4.00
YEWS (TAXUS) are particularly valuable for planting in shady places, and in cities where the smoky atmosphere is injurious to other evergreens. Their bright red fruits among the dark green leaves make them the most interesting of all evergreens in late summer. They stand much trimming, are long lived, and free from pests. Plant in rich soil well mixed with peat or humus.		
—cuspidata, Japanese Yew, 10 ft. The regular or typical form. Quite upright as a rule, a few plants wide-spreading.		2.50 3.00 4.50
—cuspidata capitata, Upright Japanese Yew, 8 to 12 ft More narrow and upright than the type. Otherwise the same.		3.00 3.50 4.50
—cuspidata intermedia, 3 to 5 ft. A semi-upright form. Very darkest shiny green foliage, especially striking with its orange-red berries. Quite dwarf.	18-24 in. XX	2.50 3.50 4.00
—cuspidata media hicksi, Hick's Yew, 8 to 10 ft	$2-2\frac{1}{2}$ ft. XX	2.50 3.50 4.00 5.00
—cuspidata Spreading, 4 to 6 ft. A spreading, irregular, bushy form. Can be kept very low by a little shearing.		3.00 4.00 5.00

DECIDUOUS TREES AND SHRUBS

Trees and Shrubs are included under one heading as there is no clear distinction between them, and what one lists as a tree is likely to be listed as a shrub by another. Botanical names are given preference except where the common names are well established or much better known. The range of sizes, and number available this year, in the sizes quoted are limited because of the past several adverse seasons. The figures in feet given after the names indicate the size attained at maturity under average conditions and will vary considerable according to environment.

Special requirements such as acid or limestone soil, moist or dry soil, shade or full exposure, winter protection, etc., are noted, if important.

	Size			Per 10
ACANTHOPANAX pentaphyllum, 5 to 7 ft			•	\$ 4.50 5.50
ALMONDS—Flowering. See Prunus glandulosa.				
AMELANCHIER sp. Dwarf Juneberry, Service- berry, Shadblow, 6 to 8 ft	12-18	in.	.45	4.00
A mass of white in early spring, followed by great crops of purplish, edible, sweet fruit. Attracts birds. Deserves much wider use.	18-24	in.	.60	5.50
ARONIA arbutifolia brilliantissima, 6 to 8 ft Especially desirable for its very brilliant red fruit through the fall and its deep red fall foliage.	2- 3	ft.	.90	8.00
—melanocarpa, Black Chokeberry, 6 to 8 ft	18-24	in.	.50	4.50
ASH—American, 50 to 60 ft	4- 5 5- 6 6- 7	ft.	.60 .75 .90	
AZALEA—mollis, Chinese Azalea, 3 to 4 ft Large flowers of orange shades. Acid soil.	18-24	in.	3.50	••••••
—poukhanensis, Korean Azalea, 3 to 4 ft	18-24	in.	3.50	
—yodogawa, 3 to 4 ft Double, pinkish lavender. Acid soil.	15-18	in.	3.50	•••••
BARBERRY —For the regular type of Japanese Barberry and Truehedge or Columnberry see Hedge Plants, page 19.				
-mentorensis, Evergreen Barberry. (U. S. Plant Patent 99) Practically evergreen. In late winter the leaves change to coppery bronze and are retained till the new green leaves appear.	18-24	in.	.75	•••
—Red Leaved, 3 to 6 ft	12-15 15-18	in. in.	.40 .50	
BIRCH—C. L. Weeping , 30 to 40 ft	4- 5 5- 6	ft. ft.	1.50 2.00	
—European White , 30 to 40 ft Bark becomes white. Plant birches in early spring only.	8-10 10-12	ft. ft.	2.00 2.50	
BLADDERNUT , Staphylea trifolia , 8 to 10 ft	3- 4 4- 5	ft. ft.	.50 .60	

BUCKEYE, Aesculus glabra, 50 ft		Each \$1.00 1.50 2.00	Per 10 \$
BUCKTHORN, Rhamnus frangula, 8 to 12 ft	3- 4 ft.	.50	4.50
BUTTERFLY BUSH, Buddleia davidi magnifica, 5 to 7 ft. Spikes of violet-purple flowers with orange eye from July till freezing. Cover well in winter.	2 year	.50	4.00
—Ile de France. Lilac-purple flowers	2 year	.60	5.00
BUTTON BUSH, Cephalanthus occidentalis, 5 to 6 ft Greenish-white globular flowers. Likes moist, rich soil.		.50 .60	4.50 5.50
CARAGANA arborescens, Siberian Pea Tree, 10 to 15 ft. Green bark. Soft pea green foliage very early. Bright yellow flowers in late May. Thrives in dryest soil in sun and endures shade.	3- 4 ft.	.30 .40 .50 .75	2.50 3.50 4.50 7.00
CARAGANA arborescens lorbergii, 4 to 5 ft	2- 3 ft.	1.00	
CARAGANA maximowicziana, 6 to 8 ft	2- 3 ft.	1.00	
—microphylla, 8 to 10 ft. Finer twigs and foliage than arborescens.	3- 4 ft. 4- 5 ft.	.60 .75	5.00 7.00
CATALPA—bungei, Umbrella catalpa, 8 to 10 ft Size given is height to grafted head.	$5-5\frac{1}{2}$ ft. $5\frac{1}{2}-6$ ft.	1.50 2.00	12.00 15.00
CHIONANTHUS, White Fringe Tree, 15 ft	18-24 in.	.75	
COLUTEA arborescens, Bladder-Senna, 6 to 10 ft Compound leaves; yellow or brownish flowers all summer, inflated three-inch bronze red seed pods. Thrives in dryest, hottest places.	3- 4 ft.	.50	4.50
CORNUS, Dogwood. —alternifolia, Pagoda Dogwood, 15 to 20 ft. Horizontal branches in tiers, easily trained into a true pagoda form. Blue berries eaten by birds as soon as ripe. Endures dense shade. Strikingly picturesque. Most desirable.		1.50 2.00	
—baileyi, Bailey Dogwood, 6 to 8 ft	2- 3 ft.	.60	5.50

	Size	Each	Per 10
—elegantissima, 6 to 8 ft Leaves edged with creamy white. Bright red bark in winter.	. 2- 3 ft.		\$
—stolonifera lutea, Yellow-twigged Dogwood, 8 to 10 ft	.18-24 in.	.75	******
COTONEASTER acutifolia, Quinceberry, 5 to 8 ft Small pinkish flowers, black berries. Smooth glossy, dark green leaves with brilliant crimson fall coloring. Splendid hedge plant.	.18-24 in.	.75	7.00
—divaricata, Spreading Cotoneaster, 4 to 6 ft	.18-24 in.	.50	••••••
—nitens, 3 to 4 ft. A broad arching shrub with small very dark green foliage; for protected places.	.12-18 in.	.50	
—multiflora, 4 to 8 ft. Gracefully arching branches, snowy-white flowers in May. Brilliant red berries in August and September.	.18-24 in.	.75	******
—racemiflora soongarica, 6 to 9 ft	18-24 in. 2- 3 ft.	.75 · 1.00	
CRABS, Malus. Small trees, flowering in May. —adstringens A hybrid of the Siberian crab from the Morton Arboretum. Deep rose colored buds opening lighter. Small red or yellow fruits in autumn.	3- 4 ft.	1.00	
-Arnoldi, Arnold Crab Buds very large, rose pink on long drooping pedicels. Flowers, delicate pink, very numerous. Fruit ½ in. yellow, red blushed.	3- 4 ft.	1.00	
—baccata, Tanner's variety, 15 to 20 ft Large, ivory-white flowers in dense panicle-like bunches. Small red fruits 10ng retained.	6- 7 ft.	2.00	••••••
— Bechtel Double Flowering , 10 to 15 ft		1.25 2.50	
—Carmine, Malus atrosanguinea, 10 to 15 ft		.75 1.00	7.00 9.00
—Charlotte, 20 to 30 ft	3- 4 ft.	1.25	••••••
—Dolga, Hansen's Red Crab, 15 to 18 ft	3- 4 ft.	1.00	

-Eley Flowering Crab, M. eleyi, 25 to 30 ft		Each \$1.00 1.25 1.50 2.00	Per 10 \$
—Hoppa, Hansen's Red Flowering Crab, 20 to 25 ft A rapid growing kind with large red flowers, fruit, new growth, and wood. Very fine.		1.00 2.50	9.00
—Iowensis, The Iowa Wild Crab Pink tinted fragrant blossoms and waxy dark green.	. 3- 4 ft.	1.00	•••••
—Red Flesh Originated by Prof. Hansen. Large red flowers which we consider the most beautiful of all the crabs with colored flowers. Fruit about the size of Whitney, a solid brilliant red, with red flesh unexcelled for jelly and sauce.		1.00 1.25	
-Red Silver Another of Prof. Hansen's. Silvery and purplish red foliage through the season. Purplish red flowers and maroon fruit.	. 3- 4 ft.	1.00	•
—Sargent, Malus sargenti, 6 to 8 ft. Low-growing with wide, horizontal branches. Flowers white, fruit bright red like cherries, hanging into winter. One of the best kinds.	2- 3 ft.	.60 .80 1.00	5.00 7.00 9.00
—Scheideckeri, 20 ft. Red buds, semi-double pink flowers, yellow fruit.	. 3- 4 ft.	1.00	9.00
—Spectabilis, Showy Crab, 12 to 15 ft Large, fragrant, bright pink flowers, semi-double. Small yellow fruit. Very prolific.	. 3- 4 ft.	1.00	9.00
CRANBERRY, Highbush. See Viburnum opulis.			
CURRANTS, Yellow Flowering, Ribes odcratum, 4 to 6 ft. Extremely fragrant, blooming early in May.	. 2- 3 ft.	.50	4.00
DAPHNE cneorum, Rose Daphne, 1 to 1½ ft Evergreen shrub. Fragrant pink flowers May and September. Needs sandy, perfectly drained soil, and winter protection. For the rockery.	9-12 in.	1.00 1.25 1.50 2.00	
DEUTZIA , lemoine , 4 to 5 ft	.18-24 in.	.50	••••••
ELDER—Red Berried, Sambucus pubens, 7 to 10 ft Bright red berries, ripe when other elders bloom.	4- 5 ft.	.60	5.00
ELM—American White, 80 to 100 ft. One of the best of all shade trees. Thrives in almost all situations. Larger sizes up to 4 inch \$1.00 per inch in diameter.		.75 1.00 1.25	6.50 9.00 11.00

	G:	T21-	D 10
—Moline, 80 to 100 ft	Size 8-10 ft	\$1.50	Per 10 \$14.00
A very vigorous upright variety of the above with large, closely set leaves. Budded and all one type. Large sizes up to 4 inch \$1.00 per inch in diameter.		•	18.00
—Chinese, Ulmus pumila, 40 to 50 ft Extremely rapid and dense growing. Twigs fine and much bent. Leaves small and remain green till winter.		.75 1.25	7.00 11.00
EUONYMUS alatus, Winged Wahoo, 6 to 10 ft	2- 3 ft.	.50 .75 3.00	4.50 6.50
—atropurpurea, Burning Bush, 8 to 10 ft	18-24 in. 5- 6 ft. 6- 8 ft.	.40 1.00 1.50	3.50 9.00
EXOCHORDIA grandiflora, Pearlbush , 6 to 8 ft Pearl-like buds which open pure white in April and May.	2- 3 ft.	.60	5.50
FORSYTHIA intermedia, Yellow Bells, 6 to 8 ft Arching branches. Blooms very early. Not very hardy. Branches may be forced early indoors.	2- 3 ft.	.45	4.00
HACKBERRY, Celtis occidentalis, 50 to 60 ft. A very strong, rapid growing shade tree with sweet berries, which hang till spring and attract birds. Ask for prices on larger sizes.		2.25 3.00	
HALESIA monticola Mountain Silverbell Hardier than the common Halesia. A clean attractive tree with 1 inch white bells in May.	2- 3 ft.	1.25	
HONEYSUCKLE, Lonicera —Bella albida, 8 to 10 ft Upright growing, white flowers, and red fruit	4- 5 ft.	.60	5.50
—Bella chrysantha, Creamy Bell Honeysuckle, 6 ft Yellowish flowers. A splendid hedge plant.	2- 3 ft.	.50	4.00
—Korolkowi floribunda, 8 to 10 ft	18-24 in.	.60	
—Morrow's, 6 to 8 ft. White flowers, red berries. Compact, spreading, excellent for hedges. Trims well.	3- 4 ft. 4- 5 ft.	.50 .60	4.50 5.50
—Tartarian, 8 to 10 ft	3- 4 ft.	.50 .60 .75	4.00 5.00 6.50
—siberica, 8 to 10 ft Deep pink flowers and bright red fruit.	4- 5 ft.	.75	6.50
— Thibetica , 3 to 5 ft	. 3- 5 ft.	.75	

*	Size	Each	Per 10
HORSE CHESTNUT, Aesculus Hippocastanum, 40 to 60 ft.	2_ 3 ft	\$1.25	\$
Large white flowers. Beautiful compound leaves with delicate yellow fall coloring.	. 2- 5 10.	ψ1.20	ψ
HYDRANGEA arborescens grandiflora, Hills of Snow, 4 to 5 ft. Large clusters of white flowers in July. Good for shady places.	. 2- 3 ft.	.60	5.50
—paniculata grandiflora, Hardy Hydrangea, Pee- gee Hydrangea, 8 to 9 ft Large panicles of white in August, changing to pink and bronzy green in autumn.	18-24 in.	.45	4.00
—Tree Form of the above	3- 4 ft.	1.25	
HYPERICUM aureum, Golden St. Johnswort,			
3 to 4 ft. Blue-green foliage. Bright yellow flowers in July-August. A fine dwarf shrub.	18-24 in.	.45	4.00
ILEX Verticillata, Winterberry, 6 to 8 ft		.60 .75	5.50 7.00
KERRIA Japonica pleniflora, Double Japanese Kerria, 5 ft. Green stems. Double bright yellow flowers. Rather tender, but blooms on new growth.		.60 .75	5.50 7.00
KOLKWITZIA amabilis, Chinese Beautybush, 6 to 10 ft. Bell-shaped pink flowers with orange centers in great profusion in June. Rapid growing. One of the best new hardy shrubs.		.50 .60 .75	4.50 5.50 7.00
LILAC SPECIES and HYBRIDS; Botanically, Syringa.			
-Common Lilae	5- 6 ft.	1.00	
—S. Chinensis (Rothmagensis), 8 to 10 ft		.60 .70	5.50 6.50
alba (Rothmagensis alba) Resembles above, except is almost white, and the twigs are very slender.	2- 3 ft.	.60	5.50
—mertensis	2- 3 ft. 3- 4 ft.	.60 .70	5.50 6.50
—S. henri letece, Henry Lutece Lilac, 8 to 10 ft		.50 .60 .70 2.50	4.00 5.50 6.50
—S. japonica, Japanese Tree Lilac, 15 to 20 ft Yellowish-white flowers, very late.	2- 3 ft.	.75	···•···

	C:-		To als	Day 10
S Microphyllo Tittleleaf Tiles 6 to 0 ft	Siz			Per 10
—S. Microphylla, Littleleaf Lilac, 6 to 8 ft			•	\$ 6.50
der flowers in June and again in autumn.	J- 4	16.	1.00	9.00
-S. persica, Persian Lilac, 8 to 10 ft	. 2- 3	ft.	.60	5.50
Many pale lilac flowers in late May. Leaves			.70	6.50
small; twigs fine and arching.	4- 5		.90	8.50
—S. villosa, Late Lilac, 7 to 8 ft	2- 3	ft.	.50	4.00
"FRENCH LILACS". Choice named varieties. Own roots. Very superior to common lilacs. Several				
other varieties are available but in quantities too limited to list this year.				
-Alphonse Lavalle	2_ 3	ft	.75	
Double, lavender-violet, darker outside.	2- 0	10.	.10	******
—Charles Tenth	. 2- 3	ft.	.75	
Single, purplish red. One of the best known			.90	
varieties.				
-Clara Cochet	. 2- 3	ft.	.90	
Single, very soft clear pink. Very pretty.				
—Jean Bart	.18-24	in.	.60	******
Double, rose-violet, carmine buds.	2- 3	ft.	.75	•••••
-Louis Henry	18_94	in	.60	******
Double, rosy-lavender.	2- 3		.75	7.00
-Ludwig Spaeth	18-24	in.	.60	
Single, very dark reddish-purple. Splendid. It always attracts attention.	2- 3	It.	.75	
-Michael Buchner	18_24	in	.60	5.50
Double, large, pale pinkish lilac flowers.			.75	6.50
				• • • • • • • • • • • • • • • • • • • •
—Mme. Antoine Buchner Double, delicate rose color.	: 2- 3	ft.	.90	•••••
Mme. Casimir Perier	18-24	in	.60	5.50
Double, creamy white. Very prolific. Rather			.75	6.50
low-growing bush.	3- 4		.90	8.00
Mme. Lemoine	18-24	in	.50	4.50
Double, large, pure white. Very fragrant. Erect,	2- 3	ft.	.60	5.50
tall growing bush.	3- 4		.90	6.50
Montaigne	9 2	£ŧ.	.75	
	3- 4		.90	
Pres. Fallieres	18_24	in	.60	5.50
Double, very large, compact clusters. Pale lav-	2- 3	ft.	.90	8.00
ender, very fine.	_ 0	- V.	.00	3.00
-Pres. Grevy	18_94	in	.60	5.50
Double, very fine, blue, in large panicles. A			.75	6.50
strong growing bush.	3- 4		.90	8.00

—Prince de Beauvau Double, bluish lilac.	Size . 18-24 in.		Per 10 \$ 5.50
—Royal Blue, Coerulea Single, blue. Vigorous. Profuse bloomer.		.60 .90	•••
—Statgartner Rothpelz Double, reddish-purple.	2- 3 ft. 3- 4 ft.	.75 .90	6.50 8.00
LINDEN—American, Tilia americana, 60 to 80 ft Large leaves. Splendid shade tree. Should be planted much more. Sizes up to 3 inches in diameter quoted on request.	6-8 ft.	1.00 1.40 1.75	9.00 12.50 16.00
MAGNOLIA—Soulangeana, 15 to 18 ft. Large purplish-pink and white flowers before the leaves. Plant in protected place.		6.50 8.00	
MAPLE—Hard or Sugar, 50 to 75 ft. One of the best shade trees; colors brilliantly in fall. Grows fairly rapidly in favorable locations.	6-8 ft.	1.50 2.00 2.50	14.00 17.50 22.50
—Norway, Acer platanoides, 50 to 60 ft. A splendid, dense, round topped tree. Leaves remain green till late.		2.00 2.75 3.50	18.00 24.00 30.00
—Red, Acer rubrum, 50 to 60 ft		1.50 2.00 2.50	
Schwedler Purple Norway, 40 to 60 ft Large, bright purplish red foliage in spring, later turning bronzy green. Budded on common Nor- way Maple.		2.00 2.50	
—Tartarian, Acer ginala, 8 to 15 ft Beautiful fine foliage, coloring most brilliant in fall. A splendid substitute for the more tender Japanese Maples. Shears well and is very hardy. Fine for tall hedge.		.40 1.50	3.50 14.00
MOUNTAIN ASH—European, 20 to 30 ft	6-8 ft.	2.00 2.50 3.00	
MULBERRY—Teas Weeping, grafted heads, 5 to 6 ft.	2 year	2.50	******
OAK—Burr, Quercus macrocarpa, 70 to 90ft		1.50 2.00 2.50	
—Pin, Quercus palustris, 70 to 90 ft	6-8 ft.	1.50 2.00 2.50	14.00 17.50 22.50

Carrier Lord (Carrier)	Deciduous	rices and	Surubs
	Size	Tools	Per 10
-Red, Quercus rubra, 60 to 80 ft.	1 5 ft	each each	
Rapid growing Rod and groon systems colored	4- 3 II.	\$1.50	•
Rapid growing. Red and green autumn colors			
Adapted to the dryer soils.	6-8 ft.	2.50	•••••
OLIVE—Russian, 15 to 20 ft.	5- 6 ft.	1.50	******
Leaves and young growth covered with silver	v 6-8 ft.	2.00	
scales. Fragrant yellow flowers.	, 0 0 10.	2.00	***
DHELL ODENDRON I I CALL CALL			
PHELLODENDRON—sachalinense, Sakhalin Cork	- 1 E ££	1.50	
tree, 30 to 40 ft.	4- 5 It.	1.50	•••
A handsome tree with compound leaves.			•-•
	6-8 ft.	2.50	******
PHILADELPHUS, Mockorange, Syringa.			
-Avalanche, 4 to 5 ft.	18-24 in.	.50	4.50
Small flowers in great profusion.	2- 3 ft.	.60	5.50
•		.00	0.00
—coronarius, Common Mockorange, 8 to 10 ft			2.50
Single white, fragrant flowers in great abundance	e 2-3 ft.	.40	3.50
in May-June.	3- 4 ft.	.50	4.50
—Grandiflora, 10 to 12 ft.	4- 5 ft.	.60	
The large flowering scentless Mock Orange.			
—Lemoine, 4 to 5 ft.	9 9 ft	50	4.50
Smaller foliage and flowers.	2- 3 It.	.50	4.50
Smaller rollage and nowers.			
-Mt. Blanc, 4 ft.	2- 3 ft.	.50	4.50
Single, very fragrant and free blooming.			
vincinalia Vincinal Machanana 4 to 5 ft	0 0 44	50	4.50
—virginalis, Virginal Mockorange, 4 to 5 ft	2- 3 It.	.50	4.50
Large, semi-double, fragrant, quite continuous.			
PHYSOCARPOS opulifolia aurea, Golden Nine	-		
bark, 9 to 10 ft.	3- 4 ft.	.60	5.50
White flowers in spring. New growth golden.			
DODI AD Delloame Cileren Learned Deplem 50 44	0 10 4	1 55	10.00
POPLAR—Bolleana, Silver Leaved Poplar, 50 ft		1.75	16.00
A rapid growing, very columnar tree with leaves		2.25	21.00
silvery underneath. Generally considered pre-	-		
ferable and more reliable than Lombardy.			
-Lombardy, 50 to 70 ft	6- 8 ft	.60	5.50
Strictly upright in habit. Branched to the ground		.75	7.00
A most useful tree for accents and tall screens	. 10-12 11.	1.00	9.00
PRIVET—See Hedge Plants.			
PRUNUS—Americana	2 / f+	.40	3.50
The native wild plum.	4- 5 ft.	.50	4.50
	5- 6 ft.	.60	5.50
-cestena, Hansen's Purple Leaved Plum, 6 to 8 ft	2- 3 ft.	.75	6.50
Bright reddish-purple foliage throughout the		.90	8.00
season. Purplish-pink blossoms, purple fruit		.00	
The best red-leaved shrub.	-		
	40.54		
—glandulosa, Pink Flowering Almond, 4 to 6 ft		.60	5.50
Large, double, pink flowers before the leaves.	2- 3 ft.	.75	7.00
	3- 4 ft.	1.00	9.00

—nana, Dwarf Siberian Almond, 2 to 3 ft		in.		Per 10 \$ 4.00 5.00
-Serotina, 60 ft	5- 6	ft.	.75	7.00
—triloba, Double Flowering Plum, 7 to 8 ft		ft.	.75 .90 1.25	7.00 8.00
QUINCE—Japanese Flowering, Cydonia japonica, 4 to 6 ft. Scarlet flowers before the glossy green leaves.			.30 .40	2.50 3.50
RED BUD, Judas Tree, Cercis canadensis, 18 ft	2- 3		.75 1.00	7.00 9.50
RHODOTYPHUS kerroides, Jetbead, White Kerria, 3 to 6 ft. Single white flowers. Black shining seeds.	2- 3	ft.	.50	4.00
ROSE ACACIA, Robinia hispida, 5 to 6 ft			.50 .60	4.50 5.50
 Kelseyi, 6 ft. Grows more regular and is more beautiful than the common Rose Acacia. 	4- 5	ft	1.25	
SNOWBALL—See Viburnum opulis sterilis.				
SNOWBERRY—Red, Symphoricarpos vulgaris, Indian Currant, 3 to 5 ft	2-3	ft.	.30 .40 .50	2.50 3.50 4.50
— Yellow , 3 to 5 ft. A variety of Indian Currant with larger pale yellow fruit. Rare.	2- 3	ft.	.50	4.00
—White, Symphoricarpos racemosus, 3 to 5 ft Endures much shade. Large white berries in fall. Needs moisture.	2- 3	ft.	.40	3.50
SOPHORA japonica, Chinese Scholartree, 25 to 30 ft. Locust-like leaves, creamy white clusters of flowers in late summer. Twigs bright green.		ft.	1.25 1.50 2.00	
SORBARIA arborea, 10 to 12 ft	34	ft.	.60	5.00
—sorbifolia, Ash Leaved Spirea, 2 to 4 ft	2- 3	ft.	.50	4.00
SPIREA—Anthony Waterer, 2 to 3 ft. Very compact. Pink flowers all summer.	18-24	in.	.40	3.50
-arguta, Garland Spirea, 5 to 6 ft. Small leaves. White flowers in early May. One of the first to bloom.			.30 .45	2.50 4.00

	Size	Each	Per 10
—billardi, 4 to 6 ft. Bright pink fluffy flowers in spikes July-October. Upright grower.	2- 3 ft.	\$0.40	\$ 3.50
-froebelli, S. bumaldi froebeli, Frobel's Spirea,			
3 to 4 ft	.2-18 in.	.30	2.50
Resembles Anthony Waterer. More vigorous. 1 Purplish-red fall foliage.	8-24 in.	.40	3.50
—multiflora, 4 to 5 ft. Resembles thunbergi but taller.	2- 3 ft.	.40	3.50
—richmensis, 4 to 5 ft1	.8-24 in.	.45	4.00
Branches arching. Flower spikes resemble billardi. Larger, brighter, more continuous.			
—thunbergi, Thunberg Spirea, 3 to 4 ft1	2-15 in.	.30	
Slinder, arching branches and fine, feathery 1 light green foliage. White.	8-24 in.	.40	3.50
-tricocarpa, Korean Spirea, 5 to 7 ft	2- 3 ft.	.50	4.50
Similar to Vanhoutte. Larger, and about two weeks later. Not so hardy.		.60	5.50
-vanhouttei, Vanhoutte Spirea, 5 to 7 ft1	8-24 in.	.25	2.00
Commonly called Bridalwreath. White flowers in		.30	
May. Graceful habit. Thrives almost anywhere. Slender hedge grade \$10.00 per 100.		.40	3.50
SUMAC—Aromatic, Rhus canadensis, 4 to 5 ft	.8-24 in.	.50 .75	4.50 7.00
al-red fruits in June. Endures drought. Very brilliant fall coloring.	2-2/2 10.	.,,	
-Cut Leaved Staghorn, Rhus typhina lacinata1	l8 -2 4 in.	.40	3.50
Twigs velvety; foliage very finely cut. Usually quite irregular, but may be trained into a tree 16 feet.		1.00	•••••
TAMARIX pentranda, Blue-Green Tamarix,		50	4.50
4 to 8 ftFine feathery blue-green foliage. Racemes of delicate pink flowers.	3- 4 ft.	.50	4.50
THORN, Crataegus,			
-coccinea, Thicket Hawthorn, 15 to 20 ft	3- 4 ft.	1.25	
White flowers May-June, large dull red fruits in	5- 6 ft.	1.50	
autumn. Spines long and curved, flowers large.	6-8 ft.	2.00	
Very hardy.	8-10 ft.	2.50	•••••
—cordata, Washington Hawthorn, 30 ft. A very choice kind. Bright red fruit long retained. Very brilliant fall coloring.	2- 3 ft.	1.25	
—nitida, Glossy Hawthorn, 20 to 30 ft Leaves shining dark green; scarlet fruit is carried into the winter.	4- 5 ft.	1.75	•••••
—prunifolia, Plumleaf Hawthorn, 20 to 30 ft	4- 5 ft.	1.50	
Pink flowers, and red fruit.		2.00	

—tomentosa, Red Hawthorn, 16 to 20 ft	Size 4- 5 ft.		Per 10 \$
—succulenta, Fleshy Hawthorn, 15 ft		2.00 2.50	•••••
TULIP TREE, Liriodendron tulipifera	5- 6 ft.	1.50	•••
VIBURNUM—carlesi, Fragrant V., Carles V., 4 to 6 ft. Cymes of deep pink buds opening pink and fading to white. Very fragrant, April.	18-24 in.	1.25	
—cassinoides, Withe-Rod, 4 to 6 ft Beautiful shining foliage, richest autumn coloring. Likes moisture.	18-24 in.	.75	6.00
—dentatum, Arrowwood, 5 to 6 ft	2- 3 ft.	.60	5.50
lantana, Wayfaring Tree, 10 to 15 ft		.40 .50 .60	3.50 4.50 5.50
—lentago, Black Haw, Sweet V., up to 30 ft		.90 2.50	
—opulus, High Bush Cranberry, 6 to 10 ft The fruiting form of the common Snowball. Bright scarlet berries in the fall.	18-24 in.	.50	4.50
—opulus sterilis, Snowball, 5 to 8 ft	18-24 in.	.55	5.00
VITEX macrophylla, Chaste-tree, 3 to 4 ft. Lavender-blue racemes, July-October. Needs same protection as Butterfly Bush.	2 year	.60	5.00
WEIGELIA—Eva Rathke, Red Flowered Weigelia, 4 to 6 ft. Rich reddish purple flowers June-August.	2- 3 ft.	.75	
—rosea, Pink Weigelia, 4 to 6 ft	2- 3 ft.	.50	
WILLOW—Laurel Leaved, Salix pentandra, 20 to 30 ft. Broad shining dark green leaves.	4- 5 ft.	.60	
—Niobe Weeping, 40 to 50 ft	5- 6 ft. 6- 8 ft.	1.0 0 1.25	9.00 11.00

—Pussy, Salix caprea, 10 to 20 ft	rith		Per 10 \$ 4.00
WITCH HAZEL, Hamamelis virginiana, 10 to 12 to 1		.60	5.50
—Hamamelis vernalis, Vernal Witch Hazel, 5 to 6 A kind blooming in March.	ft18-24 in. 2- 3 ft. 3- 4 ft.	.75 .90 1.00	•••••

HEDGE PLANTS

See also Russian Mulberry under Forest Tree Seedling; and Caragana, Honeysuckles, Spireas and other shrubs in the previous section.

BARBERRY—Truehedge, Columnberry. (U. S. Plant Patent 110).

A very dense upright form of Japanese Barberry with glossy foliage, growing much like boxwood. Makes an excellent formal hedge without much trimming.

15 to 18 in. 45c each

5 for \$1.75

25 for \$7.50

100 for \$27.00

—Japanese, Berberis thunbergi. Brilliant red berries and fall foliage. An unexcelled thorny hedge plant for trimmed or untrimmed hedges. Also good in the shrubbery border and foundation plantings.

	Size	Each	Per 10	Per 100
2 year, branched but slender	8-12 in.			\$ 5.00
2 or 3 year branched	12-15 in.	\$0.20	\$1.50	14.00
2 or 3 year branched	15-18 in.	.25	2.00	18.00
Heavy 3-year	18-24 in.	.30	2.50	24.00
Heavy 3-year		.40	3.25	30.00
PRIVETS, Ligustrum.				
-Amur River North, 12 to 14 ft	12-18 in.	•••••	1.00	9.00
Best for closely trimmed hedges.	18-24 in.	•••••	1.25	12.50
-Regals, True Type, 5 to 6 ft	2-2½ ft.	.50	4.50	

FOREST TREE SEEDLINGS

	Size	Per 100	Per 1000
BLACK LOCUST	18 - 24 in.	\$ 3.00	\$25.00
BLACK WALNUT	12-18 in.	5.00	45.00
CHINESE ELM	2- 3 ft.	5.00	45.00
	3- 4 ft.	7.50	70.00
	4- 5 ft.	10.00	
GREEN ASH	12-18 in.	1.50	12.50
HARDY CATALPA	18-24 in.	2.50	20.00
HONEY LOCUST	12-18 in.	2.00	17.50
RUSSIAN MULBERRY	18-24 in.	3.00	27.50
SOFT MAPLE	18-24 in.	3.00	27.50

CREEPERS AND CLIMBING VINES

Climbing roses are grouped under Roses, and very small kinds are among Shrubs and Perennials. The No. 1 grade are heavy two or three year plants, and the medium grade good, but lighter plants.

AMPELOPSIS—englemanni, Engleman Ivy	Size No. 1	Each \$0.40	Per 10 \$3.00
—veitchii, Boston Ivy	No. 1	.50	4.00
BITTERSWEET—American, Celastrus scandens		.50 .40	4.50 3.50
—Oriental, Celastrus orbiculatus	No. 1	.50	4.50
CLEMATIS. All like cool, well drained, but moist limestone soil with sun for the tops.			
—Henryi. Large, single, white	4 in. pots	.75	*****
—jackmanni. Large, violet purple	4 in. pots	.75	•••••
-Mad. Ed. Andre. Large, velvety red	4 in. pots	.75	••••••
-Mad. Veillard	4 in. pots	.75	*******
—paniculata, Japanese Clematis Great masses of small fragrant white flowers in September. Hardiest of all.		.50 .40	4.50 3.50
HONEYSUCKLE—Scarlet Trumpet, Lonicera			
sempervirens Almost evergreen. Long coral red flowers continuously. Excellent for cutting.		.40 .30	3.50 2.50
—Halls, Lonicera japonica halliana	No. 1	.40	3.00
White changing to yellow, fragrant. July-September.	Medium	.30	2.00
MATRIMONY VINE, Lycium barbarum. Red fruits	No. 1	.40	3.50
TRUMPET VINE, Bignonia radicans	No. 1	.40	3.50
WISTERIA—Lilac-Purple. Long bunches in May,			
vigorous.	No. 1	.40	3.50
-white. Slower growing, more upright	No. 1	.45	4.00

ROSES

All plants offered are two-year field-grown bushes. Cut back the top so only two or three of the stronger canes are left six inches long, and plant a little deeper than they grew.

QUANTITY PRICES. Almost as much work and expense is used in filling and packing an order for one bush as several, so we can give cheaper rates on larger quantities, except the patented varieties.

On orders for 5 to 12 plants deduct.......5c per plant. On orders for 12 or more plants deduct......10c per plant.

CLIMBING ROSES

(All need winter protection in Central Iowa except as noted)

AMERICAN PILLAR, 50c: Immense clusters; large, single; crimson, lighter center.

BLAZE (Patented), \$1.00: An ever-blooming climber of Paul's Scarlet color and size.

CHAPLIN'S PINK, 50c: A clear pink, otherwise like Paul's Scarlet.

CRIMSON RAMBLER, 40c: Bright red, large clusters. Very popular climber.

CLIMBING AMERICAN BEAUTY, 50c: Large rich carmine, somewhat fragrant.

DR. VAN FLEET, 50c: Large, pink, perfectly formed, pointed buds, long stems.

DOROTHY PERKINS, 40c: Delicate pink, large clusters, vigorous and healthy.

EXCELSA, Red Dorothy Perkins, 40c: Lighter red than Crimson Rambler but more vigorous.

GOLDEN CLIMBER (Patented), \$1.00: Claimed to be the first true golden climber with splendid form, fragrance, vigor, and hardiness.

MARY WALLACE, 50c: Semi-double, rose pink, salmon base.

MAX GRAF, 75c: Large, single, shining pink, prostrate, creeping rugosa hybrid.

NEW DAWN (**Patented**), \$1.50: A vigorous, healthy, ever-blooming Dr. Van Fleet.

PAUL'S SCARLET, 50c: Large, bright, pure red, semi-double, in clusters.

STAECHELIN, 50c: Large, pearl pink, fragrant, lasting flowers.

WHITE DOROTHY PERKINS, 40c: The hardiest pure white climbing rose.

WICHURIAN, Memorial, 50c: Glossy foliage with very fragrant, creamy white single flowers, prostrate grower.

DR. HUEY, 50c: Deep crimson maroon.

ROSE SPECIES AND HARDY ROSES

(Varieties which need no winter protection in Central Iowa)

QUANTITY PRICES previously given, apply here.

AGNES, 50c: A pale yellow Rugosa hybrid, blooming freely in June.

AUSTRIAN COPPER, 50c: Coppery red.

BLANC DOUBLE De COUBERT, 50c: A low-growing Rugosa hybrid. Double, snow white flowers, constantly produced.

GROOTENDORST, 50c: Hybrid of Rugosa X Baby Rambler; semi-double, small fringed, bright red roses in clusters produced continuously. Perfectly hardy, good hedge variety. Each flower resembles a carnation.

ROSA blanda, 40c: 4 to 5 ft. Single pink, splendid shrub, bright red hips.

ROSA davaurica, 40c: Purplish pink flowers. A low growing, rapidly spreading bush. Fine for covering banks.

ROSA lucida, 40c: Bright pink, 5 to 6 ft., shining foliage, bright red hips.

ROSA micrantha, 40c: Resembles Sweet Briar but less fragrant. Large bright orange red oblong fruit.

ROSA multiflora, 40c: Vines 8 to 10 ft. Small white flowers, bright red berries all winter.

ROSA rubrifolia, **60c**: A shrubby, 5 to 6 ft. perfectly hardy bush with reddish foliage, pink flowers, and a profusion of red hips, prefers partial shade.

ROSA rugosa, 50c: 5 to 7 ft., single, large bright red; wrinkled tough foliage; continuous bloomer, very large crimson hips. Good shrub or hedge plant.

KOSA setigera, **40c:** The Prairie Rose. Clusters of large single pink flowers, and bright red hips. 6 to 8 ft. arching canes.

SARAH VAN FLEET, 60c: Vivid rose pink, very fragrant tall growing.

SWEET BRIAR, **40c:** Pink flowers, fragrant foliage. Large bright orange hips carried through the winter. The genuine old Sweet Briar.

VANGUARD, 60c: H. R. Double salmon pink. Vigorous grower.

WHITE MOSS, 50c: Large, pure white, fragrant, heavily mossed.

OTHER ROSES

All this group should have winter protection. Bank up with earth 8 inches or more and cover with any available material.

Hybrid Teas (marked H. T.) are the most constant bloomers and finest colors, but need best winter protection. They are usually quite small bushes, well planted quite close together in narrow beds.

Hybrid Perpetuals (marked H. P.) are hardier and larger growing bushes, but not very continuous bloomers through the summer.

Polyanthas, or Baby Ramblers, are dwarf bushes and always in bloom.

QUANTITY PRICES previously given apply here, except to patented varieties.

AMERICAN BEAUTY, 40c: H. P. deep pink, fragrant.

AMI QUINARD, 50c: H. T. Very dark red, almost black.

AUTUMN, 50c: H. T. Orange, yellow and red.

BABY RAMBLERS, Polyanthas. Dwarf growing bushes, profuse bloomers.

Edith Cavell, 50c: Brilliant velvety crimson with white eye.

D. T. Poulsen, 50c: Brilliant scarlet.

Else Poulsen, 50c: Large, semi-double, bright rose pink, tall.

Glori Mundi, 50c: Clusters of double, orange scarlet flowers.

Gruss an Aachen, 50c: Very large, light rose overlaid with yellow.

Ideal, 50c: Very fine dark red small flowers in large clusters.

Katherine Zeimet, 50c: Large clusters of pure white.

Triomphe Orleanais, 50c: One of the very best crimsons.

BETTER TIMES (Patented), \$1.50 H. T. Very double, brilliant cerise, fragrant.

BETTY UPRICHARD, 50c: H. T. Semi-double, large, ruffled. Outside of petals brilliant orange-carmine, inside soft salmon. Strong grower.

BRIARCLIFF, 50c: H. T. A clear pink Columbia.

CHAS. P. KILHAM, 50c: H. T. Brilliant red-orange overspread with scarlet.

CONDESA DE SASTAGO, 60c: H. T. Coppery pink inside, golden on the reverse side.

COLUMBIA, 50c: H. T. Rose pink.

COUNTESS VANDAL (Patented), \$1.00: H. T. Coppery pink and gold.

CUBA, 50c: H. T. Semi-double, vermillion scarlet.

DAINTY BESS, 60c: H. T. Single, rose colored, red stamens.

DAME EDITH HELEN, 50c: H. T. A large perfectly formed deep pink rose.

DR. ECKENER, 50c: H. T. Buff pink, large cupped flowers.

DUCHESS OF WELLINGTON, 50c: H. T., saffron yellow buds opening pale yellow.

EDITH NELLIE PERKINS, 50c: H. T., pointed buds, rich orange outside, salmon pink inside. Very fragrant.

E. G. HILL, 50c: H. T. Deep velvety scarlet. Very fine.

ETOILE DE FEU, 50c: H. T. Salmon pink with flame tints.

ETOILE DE HOLLAND, 50c: H. T. Large, brilliant crimson-red. Finest red.

FEU JOS. LOOYMANS, 50c: H. T. Yellow, vivid apricot center, long pointed buds.

FRAU KARL DRUSCHKI, 50c: H. P. The very purest white, continuous bloomer.

GEN. JACQUEMINOT, 50c: H. P. Scarlet-crimson, early and fragrant.

GEO. ARENDS (Pink Druschki), 50c: H. P. Excellent, large, fragrant, pink.

GOLDEN DAWN, 50c: H. T. Clear lemon yellow, long pointed buds.

GOLDEN PERNET, 50c: Per. Bright primrose yellow, no fading, good foliage.

GRUSS AN TEPLITZ, 50c: H. T. Velvety crimson-scarlet, the most continuous bloomer, hardy and vigorous. Not good for cutting.

HADLEY, 50c: H. T. Large, rich crimson.

IMPERIAL POTENTATE, 50c: H. T. Large, deep rose pink.

JOANNA HILL, 50c: H. T. Light yellow shadded bronze.

KAISERIN AUGUSTA VIKTORIA, 50c: H. T. Creamy white, very fragrant.

LADY ASHTON, 50c: H. T. Long pointed, glossy pink. Fine old kind.

LADY HILLINGDON, 50c: H. T. Long pointed buds opening apricot yellow.

LADY MARGARET STEWART, 60c: H. T. Golden yellow streaked orange and red.

LEONARD BARRON, 50c: H. T. Large full pink.

MAGNA CHARTA, 40c: H. P. Very large, rosy pink, tinted carmine.

MARGARET McGREDY, **50c:** H. T. Orange-scarlet changing to carmine-rose. Healthy, vigorous, continuous blooming, excellent variety.

McGREDY'S SCARLET, 50c: H. T. Bright velvety scarlet.

McGREDY'S IVORY, 50c: H. T. Delicate creamy white.

MME. ALBERT BARBIER, 50c: H. P. Soft yellow with pinkish center.

MRS. SAM McGREDY, 60c: H. T. Coppery orange scarlet flushed red.

MISS ROWENA THOM, 50c: H. T. Very large, perfectly formed, satiny pink.

MME. BUTTERFLY, 50c: H. T. A more brilliant Ophelia, a very continuous bloomer and most satisfactory as a garden rose.

MME. JULES BOUCHE, 50c: H. T. White, slightly tinted pink in center.

MRS. CHAS. BELL, 50c: H. T. Like Radiance except that it is a very delicate light, salmon pink. Healthy foliage and vigorous.

MRS. E. P. THOM, 50c: H. T. Perfect, rich lemon yellow. Very fine.

MRS. HENRY BOWLES, 50c: H. T. Bright pink.

MRS. HENRY MORSE, 50c: H. T. Bright pink, silvery inside.

MRS. J. D. EISELE (Patented), \$1.00: H. T. Cherry red, perfumed.

OPHELIA, 50c: H. T. Pale salmon-flesh, fragrant, long stems, very productive.

PADRE, 50c: H. T. Coppery scarlet flushed yellow.

PAUL NEYRON, 50c: H. P. Very largest, clear pink, fragrant, thornless.

PRES. HOOVER, 50c: H. T. A combination of cerise pink, scarlet, and yellow.

PRINCE CAMILLE DE ROHAN, 50c: H. P. Dark blood red, large, fragrant.

RADIANCE, 50c: H. T. Fine rosy pink, large stems, very productive, healthy, and a most dependable garden variety.

RAPTURE, 50c: H. T. Fine glowing pink of the Butterfly type, very choice.

RED RADIANCE, 50c: H. T. A glowing crimson form of Radiance.

REV. F. P. ROBERTS, 50c: H. T. Yellow and reddish buff.

ROSE MARIE, 50c: H. T. Clear rose pink.

SENSATION, 50c: H. T. Deep scarlet with maroon markings.

SOUV. de GEO. PERNET, 50c: Per. Brick-red buds opening orange-pink.

TALISMAN, 50c: H. T. Orange-red buds, opening scarlet to gold and coppery red.

ULRICH BRUNNER, 50c: H. P. Large, fragrant, cherry red, vigorous.

PEONIES

Peonies may be planted in any good garden soil, not too shaded, and the buds should not be covered more than two inches. Bone meal may be used about them and some complete commercial fertilizer applied with caution.

A stock of the more expensive varieties is not kept in storage for late spring planting, so many orders for them which come too late for spring digging will be held till September, which is the best time for planting Peonies.

The figures after the price of each variety is its rating by the American Peony Society, and is made on a basis of 10.0 being perfect. The prices are for standard divisions of 3-5 eyes or buds. Other sizes furnished on this basis.

ADDIELANCHEA, 75c, 8.8: Creamy white, base of petals yellow, late, fragrant.

ADOLPHE ROSSEAU, 50c, 8.5: Dark lustrous red shaded maroon with yellow stamens. Tall, early, very large.

ALBERT CROUSSE, 50c, 8.6: Tall, late, light rose pink mildly fragrant.

ALSACE LORAINE, 50c, 8.8: Tall, white, golden stamens, strong fragrance.

ASA GRAY, 40c, 8.1: Mid-season, pale pink with carmine dots, fragrant.

AVALANCHE, 40c, 8.7: Late, very fine blush white. Extremely productive.

BARONESS SCHROEDER, 50c, 9.0: Late, flesh color fading white, fragrant.

CHERRY HILL, 60c, 8.6: Very early, rich dark crimson, yellow stamens.

CHESTINE GOWDY, 50c, 8.4: Large, late, outer petals pink, collar creamy white, center pink streaked crimson. Excellent fragrance.

CLAIRE DUBOIS, 50c, 8.7: Tall, late, fine pink with glossy reflex.

CORNELIA SHAYLOR, \$1.00, 9.1: Tall, late, flesh-white, darker center, fragrant.

COURONNE D' OR, 40c, 8.1: Late. White with yellow stamens.

E. B. BROWNING, 75c, 9.2: Large, very late, white tinged pink at first.

ENCHANTRESSE, 50c, 8.9: Very late, creamy white. Very large, faintly fragrant.

EUGENE VERDIER, 50c, 8.6: Large, late, outside rose pink, inside paler.

EUGENIE VERDIER, 50c, 8.6: Rose-pink, tall, quite early.

FELIX CROUSSE, 40c, 8.4: Late mid-season, brilliant crimson.

FESTIVA MAXIMA, 40c, 9.3: Early, pure white, tipped carmine, fairly fragrant.

FRANCIS WILLARD, 60c, 9.1: Perfectly formed, very large, white, mild fragrance.

FRANKIE CURTIS, \$4.00, 9.3: Delicate flesh, changing to white.

GEORGIANA SHAYLOR, 75c, 8.9: Late mid-season, large, light rose pink, fragrant.

GINNETTE, 60c, 8.6: Late mid-season, pale pink, very compact, dwarf.

GRACE LOOMIS, \$2.00, 9.2: Late, white, faintly tinted lemon, mildly fragrant.

GRANDIFLORA, 40c, 8.8: Late, very large, bright pink, fragrant.

GROVER CLEVELAND, 50c, 8.2: Late, large, bright crimson, mildly fragrant.

JAMES KELWAY, 50c, 8.7: Tall, white flushed pink, mid-season.

JUBILEE, 75c, 8.9: Very tall, white with delicate pink center.

JUDGE BERRY, 60c, 8.6: Early light rose pink, slightly fragrant.

KARL ROSENFIELD, 40c, 8.8: Mid-season, rich blood red, very choice.

KATHERINE HAVEMEYER, \$1.50, 9.0: Mid-season, large, light rose pink, fragrant.

KELWAYS GLORIOUS, \$1.00, 9.8: White, very early, lasting; finest kind, fragrant. No kind in the list is more vigorous or more regular in blooming.

KELWAYS QUEEN, \$1.50, 8.8: Bright rose pink, late mid-season, rose scented.

LADY ALEXANDER DUFF, 50c, 9.1: Mid-season, blush pink fading white with yellow stamens, fairly fragrant.

LA FEE, 75c, 9.2: Very largest, loose flowers of various shades of pink, fragrant.

LA FRANCE, 75c, 9.0: Clear light pink, tall, very large, very late, fragrant.

LA LORAINE, \$1.50, 8.6: Large, mid-season, creamy white tinted pink.

LA ROSIERE, 50c, 8.3: Semi-double, white with golden stamens. In huge clusters.

LA TULIP, 40c, 7.5: Flesh pink fading white, red markings.

LE CYGNE, \$1.50, 9.9: Early, pure white; has the very highest rating. Fragrant.

LILLIAN GUMM, \$1.00, 8.8: Very large, deep rose pink, very fine fragrance.

LIVINGSTONE, **40c**, **8.1**: Late, deep pink, fine cut flower. Strong, sweet fragrance.

LONGFELLOW, 60c, 9.0: The most brilliant red, mid-season.

LORA DEXHEIMER, 50c, 8.4: Intense crimson, early, some yellow stamens.

LOVLINESS, 60c, 8.8: Large, very late, pale flesh pink, mildly fragrant.

LUETTA PFIEFFER, 60c, 8.7: Very pale pink, tall, early, fragrant.

MARGUERITE GERARD, 50c, 8.4: Flesh-pink to rose pink, large, mid-season.

MARIE CROUSSE, 50c, 8.9: Pale pink shaded rose, moderately fragrant.

MARIE JACQUIN, 50c, 8.3: Semi-double, white with yellow stamens, fragrant.

MARIE LEMOINE, 50c, 8.5: Very late, ivory white, richly fragrant.

MARTHA BULLOCK, 75c, 9.1: Tall, very large, rosy pink, rose-like fragrance.

MIGNON, 75c, 8.7: Soft light rose with rich rose fragrance.

MILTON HILL, 60c, 9.0: Late, light shell pink, faintly fragrant.

MME. AUG. DESSERT, 60c, 8.6: Rose pink, Elderberry fragrance.

MME. DE VERNEVILLE, 40c, 7.9: Mid-season, white, very choice cut flower.

MME. EMILE GALLE, 40c, 8.5: Late, pale pink shaded lilac-rose, rose fragrance.

MME. JULES DESSERT, 75c, 9.4: Large, creamy white shaded buff and salmon.

MODISTE GUERIN, 40c, 7.8: Mid-season, deep lustrous pink, rose fragrance.

MONS. JULES ELIE, 40c, 9.2: Early, glossy pink, extra fine, fragrant.

MONS. MARTIN CAHUZAC, \$1.00, 8.8: Early, darkest deep maroon.

MT. BLANC, 75c, 8.6: Milk white, early mid-season, very large, fragrant.

MRS. A. M. BRAND, \$3.00, 9.6: Very large, late, clear white, fragrant.

MRS. ED. HARDING, 75c, 9.3: Large, white, early, tall, stiff stems.

MYRTLE GENTRY, \$3.00, 9.1: Rosy white, salmon tinted, fragrant.

NINA SECOR, \$1.50, 9.0: Pure white with yellow glow.

OFFICINALIS RUBRA PLENA, 75c: Very earliest, bright crimson.

PASTEUR, 50c, 8.4: Mid-season, very soft pink, faintly fragrant.

PHILLIPE RIVOIRE, \$1.50, 9.2: Late, bright crimson, best red, rose scented.

PHYLLIS KELWAY, \$1.50, 9.0: Semi-double, pale rose pink, very large, fragrant.

PRES. ROOSEVELT, 50c, 7.7: Mid-season, deep rich brilliant red.

PRES. WILSON, \$1.50, 9.3: Late, large, soft shell pink, spicy fragrance.

RACHEL (Terry's) 50c, 7.9: Mid-season, brightest ruby red.

RAOUL DESSERT, \$1.00, 9.0: Late, double, brilliant shell pink.

REINE HORTENSE, 60c, 8.7: Very large, mid-season, rose pink.

RICHARD CARVEL, 60c, 8.8: Early, very bright crimson, slightly fragrant.

ROSA BONHEUR, 75c, 9.0: Light violet-rose, flecked crimson, rose fragrance.

ROSETTE, 75c, 8.8: Large, early mid-season, clear light shell pink.

SARAH BERNHARDT, 50c, 9.0: Very large, rose pink, vigorous and productive.

SARAH K. TURLOW, \$2.00, 9.1: Very late, opens delicate pink becoming white.

SHAYLOR'S DREAM, 75c, 8.5: Double, mid-season, pale flesh pink, fragrant.

SOLANGE, 75c, 9.7: Mid-season, white shaded salmon.

SOUV. DE LOUIS BIGOT, 75c, 9.1: Vivid rose pink, mildly fragrant.

SPLENDIDA, 75c, 8.3: Tall, late pink fading white, strong pleasant fragrance.

TENUIFOLIA, \$1.00: Fern leaved, very earliest, bright crimson.

THERESE, 60c, 9.8: Mid-season, delicate satiny pink.

TOURANGELLE, 50c, 9.4: Creamy buff with salmon tints, mildly fragrant.

VENUS, 60c, 8.3: Large, mid-season, pale old rose pink, pleasing fragrance.

WALTER FAXSON, 60c, 9.3: Mid-season, distinct bright salmon rose, fragrant.

JAPANESE VARIETIES

AKALU, 75c, 8.1: Carmine red with center saffron yellow, striped carmine.

AMA-NO-SODE, \$2.50, 9.2: Rose pink, ruffled, center yellow, stamens rose.

ATTRACTION, 75c, 8.2: Vivid red, center violet-crimson with creamy pink base.

FUYAJO, \$1.00, 9.2: Dark purplish crimson, center dark old rose tipped pale buff.

GYPSY, \$1.00, 8.0: Dark wine-red, center same bordered buff.

KING OF ENGLAND, 75c, 8.6: Large, tall, quite early, rich ruby-red with narrow golden center petals.

MIKADO, 60c, 8.6: Dark crimson with center crimson, tipped gold.

SNOW WHEEL, \$1.50, 8.3: Pure white throughout.

TOMATE-BOKU, \$7.00, 9.4: Lively China-pink, faintly fragrant.

TORPILLEUR, 75c, 8.0: Deep rose-red, center tipped cream, slightly fragrant.

SINGLE VARIETIES

ANOMALE, 75c: Bright red, very earliest of the taller peonies.

NELLIE, 75c, 8.6: Single, rose pink, yellow center.

PRIDE OF LANGPORT, \$1.00, 8.9: Pale rose pink, large, mid-season.

WHITE LADY, \$3.00, 9.0: Glistening white, yellow center.

IRIS

Bearded Iris may be planted any time, but preferable not at blooming time, and should be planted shallow, on well drained limestone soil. Fibrous rooted kinds like moisture and more acid soil, and are better moved in spring or September. A group of one kind or color is better than single plants of many colors.

QUANTITY RATES. Applicable to any variety; not to assortments.

10c kinds, 20c for 3, \$0.45 for 10 and \$2.50 for 100 fans.

15c kinds, 30c for 3, .75 for 10 and 4.00 for 100 fans.

20c kinds, 40c for 3, .85 for 10 and 5.00 for 100 fans.

25c kinds, 50c for 3, 1.00 for 10 and 6.00 for 100 fans. S. denotes standards, the upright part of the flower; and F., falls.

EARLY BLOOMING DWARF IRIS, fine for borders and rockeries.

Cyanea, 10c: S., rich blue; F., dark satiny purple, 6 inches high.

Excelsa, 15c: S. and F., deep clear yellow, 8 inches.

Graminea, 20c: Rich red purple.

Marocain, 20c: Deep violet purple.

Prairie Gem, 10c: A fine early yellow, 5 inches.

Schneekuppe, 10c: S. and F., pure white, 6 to 10 inches, very fine.

Zullichau, 25c: Dark blue-purple.

GENERAL LIST OF BEARDED IRIS:

Amber, 10c: Very fine deep yellow.

Aphrodite, 20c: Tall, bright lilac-pink, fragrant.

Baldwin, 25c: Large tall deep violet self.

Coronation, 25c: Tall, deep yellow self.

Dalila, 10c: S., coppery bronze; F., velvety crimson.

Darius, 10c: S., canary yellow; F., lilac margined white.

Dauntless, 75c: Tall, fine red. F., darker than S.

Dream, 10c: Almost pink throughout.

Duke of Bedford, 25c: Tall, rich velvety violet-purple.

El Capitan, 40c: Very large, lavender-blue.

Elizabeth Engleberg, 25c: A blend of pink and mauve.

Frau Angelica, 25c: Medium height. S., buff; F., blue-bronze.

Freda Mohr, 25c: Large, deep pink-toned.

Germaine Perthuis, 25c: Rich violet-purple.

Glowing Embers, 25c: Tan and velvety purplish red.

Gold Imperial, 10c: Chrome yellow.

Her Majesty, 10c: S. and F., rose pink.

Jacqueline Guillot, 20c: Large, lavender-violet.

Juniata, 10c: S., Arching; F., Flaring, clear blue throughout.

King Tut, 35c: Reddish brown, outstanding.

Labor, 15c: Reddish violet with coppery glow.

Lent A. Williamson, 15c: S., lavender-violet; F., royal purple.

Leota, 10c: Early white.

Loreley, 10c: S., light yellow; F., blue bordered cream.

Midwest, 10c: S. and F., ruffled, dotted, and blushed rose on white ground.

Midgard, 25c: Yellow and pink blended, fine.

Mrs. Valery West, 50c: Large tall bronze red.

Mildred Presby, 20c: S., creamy white; F., rose-purple.

Mme. Chereau, 10c: S. and F., white frilled pale blue, tall and late.

Morning Splendor, 20c: S., rich red-violet; F., darker. One of the best.

Mother of Pearl, 10c: Bluish lavender with pearly irridescence.

Ophelia, 30c: Heliotrope, bronze, and yellow blended.

Pallida Delmatica, 10c: S. and F., light lavender-violet.

Perfection, 10c: S., light blue; F., dark violet.

Phyllis Bliss, 15c: Pale rose-lavender self.

Prairie Gold, 15c: Choice, new, yellow, medium height.

Princess Beatrice, 15c: A selected variety of Pallida Delmatica.

Princess Victoria Louise, 10c: S., pale yellow; F., rich plum bordered cream.

Prosper Laugier, 10c: S., light bronze red; F., velvety Bordeaux.

Ramona, 15c: S., lilac; F., reddish violet.

Ramses, 50c: Apricot, pink, and blue blended.

Rheine Nixe, 10c: S., clear white; F., violet-blue, edged white.

Robert Wallace, 20c: S., deep violet; F., black-violet.

Seminole, 10c: S., lilac-red; F., velvety crimson.

Shekinah, 10c: S. and F., beautiful soft yellow, tall.

Sir Michael, 40c: Dark blue. S., lavender-blue; F., deep reddish purple.

Snow White, 25c: White.

Souvenir de Mme. Gaudichau, 25c: S. and F., brilliant black-purple.

Sunset, 10c: Buff with gold and purple.

Susan Bliss, 10c: A rich orchid pink self.

Sweet Lavender, 10c: S., lavender; F., deeper rose-lavender.

Troostringer, 20c: Apple blossom pink throughout.

True Charm, 20c: White delicately suffused lavender.

Violacea Grandiflora, 10c: Violet self, ruffled.

Virginia Moore, 10c: S., bright yellow; F., yellow with veins, very late.

Wedgewood, 25c: Blue self, white beard.

BEARDLESS IRIS: More permanent, and less susceptible to disease than the bearded Iris. They like a moist soil without lime and with plenty of peat or humus.

Crested Iris, L. cristata, 25c: Creeping, 6 in., lavender flowers marked white and orange. For cool, acid soil in semi-shade.

Dorothy K. Williamson, 15c: 30 in. Gorgeous, velvety, vivid purple.

Ensata, 25c: Makes thick clumps or tussocks of handsome narrow foliage; delicate pale primrose flowers.

Foliosa, 20c: Large, broad, clear violet-blue flowers down among the leaves. Likes deep, rich soil, and part shade.

Kermesina, I. versicolor kermesina, 20c: 30 in. Narrow petals, bright redviolet, for the waterside.

Mrs. A. W. Tait (Longipetals superba), 20c: 3-4 ft. Long narrow petals, soft porcelain blue. Very tall, stiff, sword-like foliage.

Shrevi, 25c: Resembles Versicolor but much better.

Vesper Iris, I. dichotoma, **20c:** 3-4 ft., much branched stems, light lavender flowers for four weeks in August and September.

Water Iris, I. pseudacorus, 20c: 2-3 ft. Bright yellow. For waterside.

SIBERIAN IRIS: Should be much more used. Very superior to Bearded Iris as garden plants. Dense clumps of narrow upright foliage. Very hardy.

Blue Charm, 50c: A superior large blue variety.

Blue King, 15c: 30 in. Purplish blue with delicate markings.

Distinction, 20c: 3 ft. Rich blue with white veining, very narrow foliage.

Emperor, 20c: 3-4 ft. Large, deep violet-blue, broad circular falls.

Geo. Wallace, 20c: 3 ft. S., azure blue; F., darker veined white. Very narrow upright foliage. Fine at pool side.

Perry's Blue, 20c: 3 ft. A splendid pale blue.

Snow Queen, 20c: 30 in. Ivory white with yellowish throat. Cuts fine.

True Blue (Fryer's), 20c: 18 in. A clear blue color.

JAPANESE IRIS: June-July. All best protected some through winter and like rich, moist, humus soil. Heavy plants.

Mahogany, 30c: Six petals, dark reddish-purple.

Uchiu, 30c: Six petals, caerulean blue, yellow center.

Unnamed Seedlings, 25c: Various colors.

OTHER HARDY PERENNIALS AND ROCK GARDEN PLANTS

The measure given is the average height, and the dates, the blooming periods. Most perennials can be moved well either fall or spring, and many of them through the summer. Plants one foot or under are usually suitable for some place in the rock garden unless too aggressive. Special cultural requirements are briefly noted.

*Prices, unless otherwise given: Field-grown plants 20c each, \$1.65 per ten, \$15.00 per 100—3 of one kind for 50c, and 25 or more at hundred rates. For plants selected in the growing season and dug with a ball of earth, add 5c to each price.

- ACHILLEA, Milfoil, Yarrow. Thrive in any soil in sun.
- --fillipendulina, Fern-leaved, 3 to 4 ft. Broad corymbs of bright yellow, June-July.
- -millefolium roseum, 1 to 2 ft. Rosy pink. Finely cut foliage, June- September.
- ACTEA spicata rubra, Red Baneberry, 30c: 18 in. Needs shade and humus. Spikes of white flowers in May. Shining red berries in August.
- **AETHEONEMA schistosum**, **25c:** 9 in. A bushy, shrubby plant with blue-green foliage and rose pink flowers. May. Has very deep tap root. For sandy soil.
- ALLIUM odorum, Wild Garlic, 2 ft. Heads of pinkish white flowers. June.
- —Ruby King, 1 ft. Erect large heads of deep rose flowers. June. Splendid for cutting and drying.
- ALYSSUM argenteum, 1 ft. Silvery foliage, yellow flowers most of summer.
- -montanum, 30c: 6 in. Dense yellow heads, April-May. Gray-green foliage.
- -saxatile, Basket of Gold, 10 in. Bright yellow, May.
- AMSONIA salicifolia, Willow-leaved Amsonia, half-shrubby, 3 ft. Splendid foliage and interesting pale blue flowers. June. Permanent and requires no care.
- —tabernaemontana, 2 to 3 ft. Leaves broader than above. Panicles of pale blue flowers in late May. Worthy much more use in border or among shrubs.
- **ANCHUSA myosotidiflora**, **30c:** 15 in. Panicles of forget-me-not flowers, April-May. Large heart shaped leaves. Endures dry soil and some shade. Fine rock plant.
- **ANEMONE—montana, 30c:** 8 in. Like the Pasque Flower, but darker purple and easier grown.
- ANTHEMUS tinctoria, Golden Marguerite, 18 in. Pale golden yellow. June-October.
- **AQUILEGIA**, **Columbines**. Not particular as to soil, endures some shade. Grown from seed, they vary considerable, so colors can not be guaranteed.
- —alpina, 30c: 9 in. Dwarf, short spurred, azure blue. May.

^{*}PRICES unless noted: 20c each, \$1.65 per 10, \$15.00 per 100. See above.

- -Dobbies Imperial Hybrids. 2 ft. Mixed colors.
- -flabellata, 1 ft. Pure white, early. Large, dense, blue-green foliage.
- -Long Spurred Hybrids. Many color combinations and types. May-June.
- **ARTEMESIA—Silver King, Ghost Plant, 25c:** 3 ft. Frosted, silvery foliage and flowers. Dense branching habit. Very conspicuous all summer. Unequalled for drying.
- ASCLEPIAS tuberosa, Butterfly Weed, 2 to 2½ ft. Umbels of bright orange flowers in July and August. Sunny, dry soil. Very showy, drought resistent plant.
- **ASTERS—Alpine**, 1 ft. Large, bluish-violet flowers with golden center. June. Fine for rockery or border, any situation.
- -Barrs Pink, 25c: 4 to 5 ft. Bright pink, September.
- -Harrington's Pink, 40c: 3 to 4 ft. A clear soft pink. Much the best of all.
- -Nova-angliae, roseum superbum, 25c: 4 to 5 ft. Almost red. September.
- -Nova-angliae, Selected Form, 4 to 5 ft. Violet purple, yellow center.
- **BAPTISIA australis, False Indigo,** 2 to 3 ft. Dark blue, pea-shaped flowers in 6 in. spikes, May-June. Dry soil in full sun.
- BLEEDINGHEART. See Dicentra.
- **BOCCONIA cordata, Plume Poppy.** 6 to 8 ft. Broad sinuate leaves. Creamy white flowers in plume-like terminal panicle, July-August. Fine background. Invading.
- **BOLTONIA** asteroides, 5 to 6 ft. Branched stems. Small aster-like white flowers. September. Excellent for cutting, or in background.
- **BULBS** for strictly fall planting are grown, but not listed in this catalog.
- CALLIRHOE involucrata, Mallow Poppy, 25c: Trailing. Large, saucer-shaped deep crimson flowers. June-September. Fine in rockery.
- CAMPANULA carpatica, Harebell, 25c: Dense mat, 8 in., clear blue, June-October.
- —rapunculoides, 1 to 1½ ft.. Nodding, purplish blue. June-September. Invading.
- -sarmatica, 1 ft. Pale blue, July-August. Silvery foliage.
- CASSIA marylandica, Wild Senna, 3 to 6 ft. Handsome locust-like leaves. Large racemes of yellow. July-August. Endures drought and heat splendidly.
- CENTAUREA dealbata, 2 to 3 ft. Soft rosy pink flowers.
- CERASTIUM biebersteini, 6 in. White cottony foliage and white flowers. May.
- CHRYSANTHEMUMS, Hardy. All like rich soil, and winter protection.

^{*}PRICES unless noted: 20c each, \$1.65 per 10, \$15.00 per 100. See page 32.

- —Amelia, 25c: Also sold as Pink Cushion and Azaleamum. Broad, rounded cushion growth. 2 in. Bright pink; September till frost.
- -Barbara Cummings, 25c: Late September, Yellow.
- -Early Bronze, 25c: Pompom. Small bronze flowers, August-September.
- CLEMATIS—See also under Vines and Creepers.
- -integrifolia coerulea, 30c: 18 in. Blue, June to August.
- —recta mandschurica, 30c: 2 ft. Clusters of large, fragrant, white flowers in June-July. Heads of wooly seed till Winter. Very desirable and superior to the common C. recta. Seed heads fine for drying.
- COREOPSIS grandiflora, 3 ft. Deep yellow. Splendid cut flowers. June-Oct.
- -Perry's Double-Many are double or semi-double.
- DAISY—Alaska, 1 to 2 ft. 4 to 5 in. flowers all summer and fall.
- —Arctic, Chrysanthemum articum. 1 ft. Pink tinted white flowers, 2 in., in September-October. Fine dark green foliage.
- —Double White Shasta, C. leucanthemum flore plena. Double, pure white flowers in great abundance in May. Needs no protection.
- -Korean, 2 ft. Single, white or purplish. October.
- —praecox perfection, 1½ ft. A fine variety of Shasta Daisy, always blooms in May.
- -Shasta Supreme, 25c: Very large and early. New variety.
- —White Swan, 40c: 18 in. A new double, pyrethrum-like variety blooming in late May.
- **DELPHINIUM**, Larkspur. All like limestone soil and good drainage.
- -belladona, 2-4 ft. Light blue, all summer.
- -Bellamosa, 2-4 ft. Like above but dark blue, all summer.
- -Chinese Blue, 1-2 ft. Finely cut foliage. Gentian blue, all summer.
- —English Hybrids, 4 ft. or more. All shades, each plant distinct. Plants selected while in bloom, 30c and up. According to size and quality.
- DIANTHUS arenaria, 25c: 6 in. Fringed white flowers. Late summer.
- -deltoides, Brilliant. 6 in. Very bright red. June-July.
- -knappi, 25c: Sulphur yellow. For dry places.
- -neglectus, 25c: Cherry red flowers from small dense tufts. Acid soil.
- DICENTRA eximia, Plumy or Fern Leaved Bleedingheart, 25c: 1 ft. Finely cut light green foliage till frost. Compact growing. Flowers from early spring till frozen. Perfectly hardy, thrives in sun or shade. Fine rockery plant.

^{*}PRICES unless noted: 20c each, \$1.65 per 10, \$15.00 per 100. See page 32.

- —spectabilis Bleedingheart, 40c: 1½ to 2 ft. Long racemes of graceful heart-shaped, rose-crimson flowers. April-June. Thrives any place.
- **DICTAMNUS RUBER, Gas Plant, 25c: 2½ ft.** Rosy purple, veined darker. Strongly aromatic. Very permanent in rich well drained soil and needs little care.
- **DORONICUM excelsum, Leopard's Bane, 25c:** 2 ft. Large, deep yellow daisy-like flowers, May-June. Excellent for cutting. Best early yellow flower.
- —caucasicum, 25c: 1 ft. Like above, but shorter.
- **ECHINOPS ritro, Globe Thistle, 3** to 4 ft. Large, globular heads of metallic blue. July-August. Good for drying or cutting.
- **ERYNGIUM planum, Sea Holly. 2** ft. Spiny foliage. Thistle-like heads of steel-blue flowers. July-August. Fine for drying.
- **EUPHORBIA corollata, Flowering Spurge**, 2 to 3 ft. Small white flowers, much branched stems. July-August. Preferable to Gypsophila for cutting.
- -cyparissias, Cypress Spurge. 18 in. Yellow, May. Attractive foliage.
- -myrsinthes, 30c: Prostrate, blue-green foliage, yellow flowers.
- **FERN—Ostrich, Onoclea struthiopteris, 25c:** 2 to 3 ft. Prefers part shade and leaf-mold, but will endure almost any situation.
- FILIPENDULA rubra venusta, Carmine Meadowsweet. 4 ft. Plumes of bright carmine, August-September.
- —ulmaria, European Meadowsweet. 2 ft. Feathery plumes of creamy-white in June-July.
- **GAILLARDIA, Blanket Flower.** 1 to 2 ft. Flowers have red, yellow, and orange blended. May-October. Endures drought. Very desirable and easily grown.
- GENISTA sagittalis, 50c: Prostrate. Flattened stems. Yellow. June.
- **GLOBULARIA nudicaulis, Globe Daisy**, 9 in. Globular blue flowers in May-June.
- **GRASS alpine, Festuca glauca.** 1 ft. Thick tufts of bluish green foliage. Evergreen.
- GYPSOPHILA Bristol Fairy, 60c: Grafted, double variety. 1 year plants.
- —paniculata, Baby's Breath. 2 to 3 ft. Misty masses of small white flowers. June-July. Much used in bouquets.
- -nana compacta, 2 ft. Much more compact than the above.
- —repens, Trailing. Rose tinted white flowers. July-August.
- **HEMEROCALLIS, Yellow Day Lily.** Grow anywhere.
- **—Dover, 75c:** Early June. Very large deep golden yellow. 2 ft.
- —flava, Lemon Lily, 25c: 2½ ft. May-June, lemon yellow.
- *PRICES unless noted: 20c each, \$1.65 per 10, \$15.00 per 100. See page 32.

- -florham, 25c: 3 ft. Rich golden yellow, June-July.
- —fulva, Tawny Day Lily. 3 to 4 ft. July. Coppery-orange.
- -Gold Dust. 2 to 3 ft. July. Richest yellow.
- -gracilis, 25c: 18 in. Grass-like foliage. Yellow flowers.
- -Kwanso, 3 to 4 ft. July. Double, golden bronze.
- -Mrs. J. R. Mann, 50c: 3 to 4 ft. Rich, deep yellow. July.
- -Mrs. W. H. Wyman, 75c: 4 ft. Light pale lemon yellow, August. New.
- -Queen of May, 30c: Large, clear yellow. June. A splendid variety.
- -The Gem, 75c: 3 to 4 ft. Deep orange-yellow. June-July.
- -thunbergi, 2 to 3 ft. July-August. Fragrant, lemon yellow.
- **HEUCHERA** brizoides, Coral Bells, 25c: Bright pink, May and June. 18 in. Blooms profusely.
- HIBISCUS, Mallow. 4 to 5 ft. Rose, pink, or white 6 in. flowers, July-September. Withstands summer drought perfectly, but prefers wet soil.
- -Red, 25c: A deep dark red variety.
- **HIERACIUM aurantiacum**, 10 in. Orange-scarlet dandelion-like flowers. Acid soil.
- HOSTA, Funkia, Plantain Lily. Thrives almost anywhere.
- -coerulea, Blue Plantain Lily. 1½ ft. July. Drooping blue flowers.
- -lanceolata, 2 ft. Lilac flowers in September.
- INULA ensifolia, 1 to 1½ ft. Yellow flowers, July-August.
- LEUCORINUM montana, 8 in. Bulbs. Fragrant white flowers, April-May.
- LIATRIS pycnostachia, 4 ft. Long spikes rich purple, July-August.
- **LILIUM, Lilies.** Mostly require well-drained, deep soil. Depth to plant is noted last.
- -bulbifera, 25c: 3 ft. Light orange-red, upright. First to bloom. May. 5 in.
- —canadensis flavum, 40c: 3 to 4 ft. Nodding, yellow, red spotted, June. 5 in. in peaty soil.
- —Concolor, 30c: 18 in. Very pretty upright star shaped deep crimson. Bulbs small; plant 5 in. Endures sun.
- -elegans, 25c: 2 ft. Orange-red. May-June. Easiest to grow. 5 in.
- -elegans Leonard Joerg, 40c: 2-3 ft. June. A rich apricot variety. 8 in.
- —regale, The Regal Lily, 15c, 20c, or 30c, according to size. All are blooming sizes. Large white trumpets shaded pink. July. One of the best. 9 in.

^{*}PRICES unless noted: 20c each, \$1.65 per 10, \$15.00 per 100. See page 32.

- —superbum, Turk's Cap Lily, 25c: 4-5 ft. Reddish orange, July 5 in in peaty soil.
- —tenuifolium, Coral Lily, 15c, \$1.00 per 10: 1½ to 2 ft. Waxy, recurved, coral red flowers on slender stems. May. Bulbs always small. 6 in.
- -tigrinum, Tiger Lily, 25c: 3 to 4 ft. July-August. Orange spotted black. 9 in.
- -tigrinum flora plena, Double Tiger Lily, 30c: 3-4 rows of petals. 9 in.
- —umbellatum, 25c: 2 to 2½ ft. Umbellate heads of upright flowers, dark red shaded orange, June. Very easy to grow. 8 in.
- LILY OF THE VALLEY. A choice large variety.
- LINARIA dalmatica, 18 in. Pure yellow, July-September.
- **LINUM perenne, Hardy Flax.** 1 to 2 ft. Light, graceful foliage and stems. Pale blue flowers each morning, June-September if cut down occasionally.
- **LYTHRUM roseum superbum, 25c:** Purple Loosestrife. 3-4 ft. Branched spikes of rosy purple July-August. For moist or wet places. Quite shrubby.
- MONARDA, Wild Bergamot, 2 to 3 ft. A rose colored form. July-August.
- **NEPETA mussina**, **Ground Ivy**, 1 ft. Compact, beautiful foliage, lavender-blue flowers, constantly. A splendid rockery or wall plant.
- **OENOTHERA missouriensis**, 8 in. Spreading. Large rose tinted flowers. June-September.
- PENTSTEMON glaber, 25c: 1 ft. Splendid rich blue. June.
- -gracilis, 1 ft. Pale lilac flowers, June-July.
- —grandiflora. Spikes 2 ft., lavender-blue flowers. June. A splendid cut flower. Dry soils in sun only.
- PHLOX amoena, 8 in. Pink-lilac. May.
- -Divaricata Laphami, 25c: 8 in. Rich blue-violet
- -multiflora, 25c: A mat of pale lilac, early. Humus soil.
- —subulata atropurpurea, 25c: Purplish red. The darkest and most popular variety. New.
- —subulata Autumn Rose, 25c: Deep rose with darker center. Blooms September to November.
- -subulata Blue Hill. A new blue variety, blooms early and again late.
- -subulata Fairy. Pale blue with dark purple eye. Blooms some all fall.
- -subulata lilacina, Lilac. Light lilac. The strongest growing variety.
- -subulata rosea, Rose Pink. The commonest and only variety many know.
- -subulata vivid, 25c: Vivid pink. The best dwarf pink. Slow growing.
- —subulata White. A mass of white flowers very early.
- *PRICES unless noted: 20c each, \$1.65 per 10, \$15.00 per 100. See page 32.

- —suffruticosa, Miss Lingard, 25c: Pure white, very large, long trusses, and very early. Dark, glossy green foliage. 2 ft.
- PHLOX paniculata, Garden Phlox, 25c each, \$2.25 per 10. All like rich, moist, well drained soil, and a mulching of well-rotted manure in winter.
- -Africa, brilliant carmine-red with darker eye.
- -B. Comte, rich reddish purple, tall.
- -Daily Sketch. Very large, bright salmon pink, carmine eye.
- -E. I. Farington. Fine salmon pink, lighter eye.
- **—Enchantress**, soft salmon pink with dark eye, very large.
- —Jules Sandeau, large, delicate salmon pink, dwarf compact plant.
- -Mrs. Jenkins, large, white, tall.
- -Special France, delicate rose with carmine-rose eye.
- PHYSOSTEGIA, False Dragonhead. Thrives in any good soil.
- -virginica, 3 to 4 ft. August. Spikes of delicate pink tubular flowers.
- -virginica grandiflora. 2 to 3 ft. Deep pink. Blooms between the other kinds.
- —virginica vivid. 1 to 2 ft. Deep pink. Early September till hard freezing. Fine for cutting. Massed, it gives the landscape effect of Heather. One of the choicest fall blooming perennials. Endures considerable shade.
- **PLATYCODON grandiflora, Balloon Flower.** 2 to 3 ft. June-October. Large ball-shaped flowers, either blue or white. Inflated balloon-like buds.
- -mariesi. 1 to 1½ ft., otherwise like above. Very fine flower, resists drought.
- **POLYGONUM sieboldi, Japanese Fleeceflower.** 3 to 4 ft. Creamy white, August-September. Good for massing under trees, or the edge of woodlands.
- -compactum, 1½ ft. A compact dwarf form of the above. Invading.
- **POPPY—Pilosum.** 1 to 2 ft. Salmon flowers on slender nodding stems. Perennial.
- —Oriental, Papaver orientale, 2 ft. Large, orange-scarlet flowers with black centers, May-June. Transplant all the Oriental Poppies in August.
- -Oriental, Joyce, 30c: A fine new kind. Old rose.
- -Oriental, Lulu A. Neeley, 40c: Deep dark red.
- -Oriental, Mrs. Perry, 30c: Salmon pink.
- -Oriental, Olymphia, 30c: Double, free blooming, rich scarlet. Earliest.
- -Oriental, Orange Queen, 25c: Dark orange.
- -Oriental, Wurtenbergia, 40c: Very large, dark red.
- PYRETHRUM, Persian or Painted Daisy. 2 to 3 ft. All colors, white to deep red.

^{*}PRICES unless noted: 20c each, \$1.65 per 10, \$15.00 per 100. See page 32.

- -Double Red, 30c: Fully double, bright red.
- -Hybrids, random colors, as run from seed.
- **RANUNCULUS acris, English Buttercup.** 1 to 2 ft. Upright, branching sprays small double, waxy golden yellow flowers, May-June. Fine for Memorial Day.
- —repens, similar to above, but prostrate, spreading rapidly.
- **RUELLIA ciliosa, 25c:** Long-tubed lavender flowers through the summer. For sunny places.
- **RUTA PATAVINA**, **Rue.** 1 ft. Blue-green aromatic foliage; small yellow flowers. Light sandy soil. An old fashioned herb.
- SALVIA azurea grandiflora, 3 to 4 ft. Sky blue, August-September.
- **SAPONARIA** ocymoides, Rock Soapwort. 1 ft. A dense, short trailing vine with a mass of rosy pink flowers in May-June.
- **SAXIFRAGA** crassifolia, 40c: 1 ft. Broad green foliage, rosy pink flowers April-May. Very fine among rocks. Leaves turn red in winter.

SEDUM, Stonecop, Liveforever.

- -acre, Golden Moss. Creeping, green foliage, yellow flowers.
- -album, 2 to 3 in. Round green foliage, small white flowers.
- -ewersi, 2 to 4 in. Grayish foliage, pinkish flowers.
- -kamschaticum. 6 in. Bright green foliage, golden yellow flowers.
- -lydium. 1 to 2 in. Deep bronzy green foliage, very compact, almost mossy.
- —middendorffianum. Low, tufted plants, spreading 1 ft. Linear dark green leaves turn red in fall. Yellow flowers. Very choice kind.
- -sarmentosum, Stringy Sedum. Dwarf, rapid spreading, light green.
- **—sexangulare.** More linear leaves, otherwise resembles acre.
- —spectabile. 1 to 1½ ft. Large broad heads of pink flowers in August-September. Broad, light green foliage. Good border plant.
- -spectabile brilliant, like the above, but rosy-crimson flowers.
- -spectabile variegata. 1 ft. Pink flowers, leaves striped yellowish.
- -stoloniferum coccineum. 6 to 8 in. Rosy crimson, July-August.

SEMPERVIVUM, House Leek, Hen and Chickens. All excellent in rockeries.

- —arenarium. Small green rosettes, globular, freely produced.
- -blandum, 25c: Large rosettes, reddish colored.
- **—doellianum**, **25c**: Small rosettes, slightly cobwebbed.
- -fauconetti, 25c: Medium sized rosettes with some filaments.

^{*}PRICES unless noted: 20c each, \$1.65 per 10, \$15.00 per 100. See page 32.

- —globiferum. Small globular rosettes. Young plants roll away and strike root readily.
- **—tectorum.** Rosettes 5 to 6 in. in diameter. Flowers pale red. 1 ft.
- **—trieste.** Large quite red rosettes.
- SOLIDAGO, Golden Rod, Golden Wings. 4 to 6 ft. Very wide panicles. August.
- —missouriensis, Aster Flowered Golden Rod, 25c: Compound panicles of sulphur yellow, small aster-like flowers. August.
- **STATICA latifolia, Sea Lavender.** 1 to 2 ft. Broad, thick leaves, upright, finely branched panicles of small blue flowers. August-September. Splendid for cutting and drying. Endures dryest weather.
- STOKESIA, Stokes Aster. 1 to 2 ft. Large, lavender-blue flowers. July-October. Succeeds in any open sunny soil. Most attractive. Very drought resistant.
- **THALICTRUM adiantifolium, Meadowrue.** Leaves like Maidenhair Fern. 1 to 2 ft. Flowers yellowish. June-July.
- -aquilegifolia roseum, 3 to 4 ft. Branched heads of feathery pink. June.
- -minus, Low Meadowrue. 1 to 2 ft. Greenish yellow flowers, June-July.
- **THYMUS serphyllum coccineus, Mother of Thyme.** Very choice low plants making dense mats. Excellent for rockeries or among stepping stones. Thrive in poor and acid soil. Dark red flowers.
- TULIPS and other fall bulbs will be priced at blooming time or later.
- **TUNICA** saxifrage, 6 in. Tufts of wiry foliage, and light pink small flowers all summer.
- **VERBENA** venosa, Hardy Verbena, 12 in. Violet-purple, June-October. Very compact growth and free blooming.
- —canadensis. Similar to above, but considerable darker.
- **VERONICA** amethystina. 1 ft. Spikes of rich amethyst-blue in June-July.
- -prostrata, 25c: Prostrate. A dense green carpet. Spikes of deep blue. May.
- —rupestris nana, 1 in. Prostrate. Forms dark green carpet, gentian blue, April-May.
- -rupestris, 3 to 4 in. Trailing, bright blue in June. Makes a thick carpet.
- -spicata, 2 ft. Erect spikes of deep blue in June.
- —teucrium, Royal Blue, ½ to 1 ft. Spreading, blue flowers, May-June.
- -virginica, Culvers root, 3 to 4 ft. Spikes white flowers. July-August.
- VINCA minor, Trailing Myrtle. Evergreen. Lilac-blue, April-May.
- VIOLA—Jersey Gem. Large, fragrant, violet color, continuous bloomer.
- -missouriensis. Very fragrant, lilac and purple. May and September.
- -odorata, Sweet Violet. Very fragrant, rich violet, small.
- -pedata bicolor. Lilac and dark purple. Acid soil.
- YUCCA filamentosa, Adam's Needle. 4 to 6 ft. Tall, pyramidal clusters of large creamy flowers. June-July. Heavy 3-year plants, 40c; 2-year, 25c.

^{*}PRICES unless noted: 20c each, \$1.65 per 10, \$15.00 per 100. See page 32.

APPLES

Apple trees should be planted 30 to 40 feet apart. Cherry trees, or other small or short-lived trees may be planted between till the apple trees need the space. They respond to good cultivation, fertilization, and care as freely as does corn or any other crop. The supply this year is very limited and many kinds no doubt will be exhausted before planting time. Where sizes are given after a kind it means that only that size is available in the spring of 1937.

EARLY VARITIES

Liveland (Lowland Raspberry) — Duchess (Oldenburg)
—Yellow Transparent

FALL VARIETIES

Anoka Wealthy Snow (Fameuse) — Hibernal

WINTER VARIETIES

McIntosh	E. G. Russett	N. W. Greening
Delicious	-Cortland	Stayman (Winesap)
—Sharon, 3-4 ft.	Haralson	—Tolman Sweet
Wolf River	Northern Spy, 4-5 ft.	Jonathan
Grimes (Golden)	Roman Stem. 4-5 ft.	

CRAB APPLES

whitney	Dolga	
PRICES of all apple and crab apple:	Each	Per 10
5-6 ft	\$1.00	\$9.00
4-5 ft		7.50
3-4 ft		5.50

CHERRIES

(in order of ripening)

Early Richmond Montmorency Yellow Glass
Early Richmond and Montmorency are the most dependable and the most
planted. Yellow Glass is a true sweet cherry and is more tender than the others.

These are standard grades. The caliper governs. Trees are inclined to be shorter and bushier this year.

Each Per 10
11/16 in. mostly 5 ft. and up. \$1.00
9/16-11/16 in. mostly 4 ft. and up. .85
7/16- 9/16 in. mostly 3 ft. and up. .65
5.50

PEARS

Pears are best on gravelly clay upland soils. On rich loams they blight seriously. More than one variety should be planted to insure pollination. The standard, or large growing trees should be spaced 18 to 20 ft. apart; the Dwarfs, 10 ft.

The following list is arranged in approximately their order of ripening:

Lincoln	Seckel	Kieffer	
Bartlett	Mendel	Patten	
PRICES of all	l standard Pears:	Each	Per 10
5 to 6 ft.		\$1.00	\$9.50
			8.00

DWARF PEARS are grafted on Quince roots, which dwarf and bring them into bearing earlier. They are most useful where room is limited. Duchess does particularly well as a dwarf.

Duchess	Ba	rtlett	Cieffer	
5/8 in. and up,	mostly 4 ft. and up		\$1.00	\$9.50

PEACHES

Peaches in central Iowa should be planted where they will have as much protection as possible.

PRICES—Budded varieties.	Size	Each	Per 10	Per 100
Champion, Bokara, and Polly	4 to 5 ft.	\$0.85	\$7.50	*
Seedlings of Bailey, 1 yr	about 2 ft.	*****	1.00	\$6.00
Bailey is our hardiest peach and co	mes quite true	from s	eed. The	fruit is
small, white fleshed, freestone and of ex	cellent quality	for car	nning.	

PLUMS

Damson	Moors Arctic	Surprise
Desoto	Nicollet, 3-4 ft.	Terry
Elliott	Oka, 3-4 ft.	Toka
Fiebing	Superior	Tonka
German Prune	Sapa	Underwood
Lombard		Wachampa

Surprise, Terry, and Desoto are all pure American varieties of splendid quality for all purposes, and are very dependable for the far North.

Elliott, Tonka, Underwood, and Superior are splendid large new hybrid varieties with very small seeds and high quality, but do not pollinate one another.

To secure pollination, plant trees of a native variety like Surprise or Terry, or another type of hybrid such as Toka, among them as pollenizers in the proportion of one or more pollenizer to 6 or 8 to be pollenated.

Toka itself is one of the very best plums and has a pronounced fragrance. Oka, Sapa, and Wachampa are all hybrids of the Western Sand Cherry produced by Prof. Hansen and are dwarf trees which bear at any size. The fruit is of medium size, has purple flesh, very small pits, and is very fine for canning. Oka is very dwarf.

German Prune and Lombard are European or Blue Plums and do better farther east as a rule.

PRICES of Plum Trees:	ach	Per 10
5 to 6 ft\$	1.00	\$9.00
4 to 5 ft.	.85	7.50
3 to 4 ft.	.65	6.00

CURRANTS

Currants are offered for local sale only, and cannot be sent out of Iowa.

Perfection	White Grape	
	Each	Per 10
2-yr. bushes of above varieties	\$0.35	\$3.00

GRAPES

Agawan, large red.
Beta, small, early, black.
Brighton, red.

Concord, black.

Delaware, small red.

Diamond (Moors), large, white. Moors' Early, large, early, black. Niagara, large. white.

Worden, large, black.

PRICES—	lach	Per 10	Per 100
Concord and Worden\$	0.20	\$1.75	\$15.00
Others listed above	.25	2.25	20.00
Newer varieties listed below	.40		

Most of them are new varieties produced by the N. Y. Exp. Station. They have exceptionally fine fruit but the hardiness of the vines is not well determined, and we recommend covering them till it is ascertained. The grower who will give them extra care can get some very fancy fruit.

Brockton, green, one of the very best for home use.

Caco, red, productive, fine appearing and splendid quality.

Fredonia, black, about two weeks earlier than Worden.

Goff, reddish purple, large, very late, keeps well.

Golden Muscat, yellow, resembles European grapes, very fine quality.

Keuka, dark red, European type, very highest quality.

Ontario, green, very early, yet keeps well.

Pontiac, black, productive, sweet and hardy.

Portland, green, early, large berries, excellent quality.

Seneca, yellow, almost pure European, very high quality.

Sheridan, black, late, ripening much better than Concord in 1936.

Thompson No. 5, black.

Urbana, light red, very late ripening and very late keeping.

Watkins, reddish black, splendid for home use.

GOOSEBERRIES

For local sale only. Cannot be sent out of State.

Champion Downing

RASPBERRIES

The black varieties grow from tips and do not spread much; red varieties sucker freely.

Raspberries are usually planted in hedge rows about 2 ft. apart in the row.

Cumberland is the most planted black variety.

Chief and **Latham** are the leading red varieties. Latham is larger and Chief the more productive and a little earlier.

P	Per 10	Per 100	Per 1000
PRICES—Chief and Latham	80.50	\$4.00	\$35.00
Cumberland transplants and Newberg	.60	5.00	45.00

BLACKBERRIES AND DEWBERRIES

PRICES—	Per 10	Per 100
Snyder Blackberry, root cutting plants	_\$0.60	\$5.00
Lucretia Dewberry, transplants	60	5.00

STRAWBERRIES

The **Blakemore** Strawberry, introduced by the U. S. Department of Agriculture, is gaining in favor. The fruit has good size, color, and firmness; excellent quality for canning, and is easy to pick and hull. The plants are extra vigorous and productive, and do best on heavier soils.

The **Dunlap** is the old standby; it is good for all purposes, and succeeds under most conditions.

The **Progressive** is a fall bearing variety. It is unexcelled in quality, very productive, and has fair size if growing conditions are good.

Plant new beds each year in rows 4 feet apart and 18 inches in the row.

				<u> </u>	
PRICES—				Per 100	Per 1000
Dunlap	and	Bla	kemore	\$1.00	\$9.00
Progress	sive,	fall	bearing	2.00	

ASPARAGUS

This is one of the first spring vegetables ready for use, and one of the most wholesome of them. Plant it along the fence and plant it by the hundred rather than by the dozen. Do not plant too deep. Fertilize heavily.

Martha Washington (Rust Proof)

PRICES—			Per 10	Per 100	Per 1000
Two-year	plants,	heavy	\$0.40	\$2.50	\$18.00

RHUBARB

Rhubarb, like Asparagus, should be planted in rich soil where it need not be disturbed, and will produce a great lot of wholesome food with a minimum amount of work. Heavy clumps of it may be forced in the furnace room in winter if they are dug in the fall and allowed to freeze hard before taking in.

	Each	Per 10
Linnaeus seedlings 2 yr., 1 in. and up	.\$0.15	\$1.00
The common kind of rhubarb.		
Ruby, strong divisions	.60	• • • • • • • • • • • • • • • • • • • •
Small red stalks, very mild.		
McDonald, strong divisions	60	
A fine new kind from Canada with a high sugar content and		
fine flavor. Produces no seed so can be used over a longer		
season than the common rhubarb.		
Sutton, strong divisions	.50	
Makes no seed stalks at all and is much the largest and		
most productive kind.		

NUT TREES

TRANSPLANTING. Nut trees are not difficult to transplant but require more careful handling than fruit trees. The roots will not endure as much exposure and the tops should be cut back heavily. Usually the more the top is reduced the better the growth the first year. Cut ends should be waxed and the remaining top given a coating of melted parrafin to prevent dessication. Nut trees are hand dug and usually have long, deep roots. Holes should be dug deep enough to avoid crowding them and pulverized moist peat mixed with top soil filled around them. A basin may be left around the tree and filled with peat to faciliate watering and hold the moisture. If peat is not

available fill in with mellow top soil and put a mulch of strawy manure about the tree.

BLACK WALNUTS are very heavy feeders and do best in deep rich alluvial soil. Well established trees may be given heavy applications of farmyard fertilizer, or other fertilizer judiciously applied.

No other nut except the hickory carries its flavor like the black walnut through baking or other processing and the use of the kernels is increasing rapidly. Commercial crackers will buy all available nuts offered and pay much more for the improved kinds because their kernels have a better flavor and color, yield more per bushel, and a much larger percentage are in halves or quarters. The grafted kinds are also superior for landscape planting, being more thrifty and having larger, darker, glossy green foliage.

Thomas is the best known and succeeds over a wide territory. Within the whole range of the Black Walnut only a few distant sections report another kind preferable to Thomas. The tree is hardy, very vigorous, productive, and a very young bearer, switches one year old often bearing the following season. The nuts are large, easily hulled and fairly thin-shelled. The kernels have fine flavor and color and easily crack out in halves and quarters, and the yield is ten pounds or more per bushel. Sizes, 5-6 ft.; 4-5 ft.; 3-4 ft.; 2-3 ft.; 18-24 in.

Ohio has a thin shell, is an excellent cracker, and has splendid quality. It is more pointed than Thomas, and in a very few places is considered superior to it. Sizes, 3-4 ft.; 2-3 ft.

Stambaugh won first in the 1926 contest of the Northern Nut Growers Association with more than 1200 competitors. While ten years is too short a period to determine its real place there are enough very favorable reports that we consider it a strong rival of Thomas for first place. Sizes, 4-5 ft.; 3-4 ft.; 2-3 ft.

Cresco is a medium sized nut of good quality which is expected to prove hardier than most varieties since it comes from near the Minnesota line. The trees are very thrifty and bear early. Sizes, 3-4 ft.; 2-3 ft.

A few trees are available of Galloway, Lamb, Rohwer, Stabler and others at the prices below. Sizes available, on application.

PRICES—of Grafted Walnuts 5-6 ft. 4-5 ft. 3-4 ft. 2-3 ft. 18-24 in. See sizes after each variety....\$2.00 \$1.75 \$1.50 \$1.25 \$1.00

CHESTNUTS are the most dependable bearers of the food producing trees. They bloom, very late, so escape the frost injury which occasionally destroys the crops of other nut and fruit trees, and they endure extreme heat and drought well. No grafted trees are available for the spring of 1937 but some seedlings are available. These are from seed of very hardy old trees in this locality and will make excellent stocks for grafting later.

One year seedlings	12-15 in.	60c dozen	\$4.50 per 100
Transplants	2- 3 ft.	40c each	3.50 per 10
-	3- 4 ft.	50c each	4.00 per 10
	4- 5 ft.	75c each	6.50 per 10

HICKORIES, HICCANS, and PECANS. No nuts have a better flavor than the Shagbark Hickories and none carries its flavor through the process of baking so well. The hickories are slow to start after transplanting and should be given good care. Once they are well established they are very persistant as many early settlers found when they attempted to kill out a grove of hickories.

Pecans grow faster than hickories and require a longer season in which to ripen. The trees will stand north of where the nuts can be expected to ripen. Really, as nut producers they have little value in central Iowa, but as shade and ornamental trees they are well worth planting.

Hiccans are crosses of the hickories and pecans and usually ripen in Central Iowa. The nuts are larger than the Northern pecans, do not have a bitter inner shell, and partake of the hickory flavor, so are better than pecans. They grow rapidly, and make a very beautiful tree, but are slow starting to bear.

The supply of grafted hickories is always limited and particularly so after a series of extremely dry, hot years which made propigation difficult. It takes so long to get hickory stocks large enough to graft that there is no prospect of grafted trees becoming cheap.

A very few other kinds are available besides those listed below.

Craeger comes from Northern Iowa and is one of the most rapid growing and beautiful trees among the hickories. The nuts are small, but of splendid quality, crack out nicely, are produced very freely, and keep sweet a long time.

Fairbanks, Bestall, and Beaver are rapid growing, young bearing, productive hybrids of the bitternut and shagbark. The nuts are large, thin-shelled and quite good quality. When first tasted, one notices a slight bitterness, which disappears in baking or as more are eaten raw. Fairbanks has given such good satisfaction that we consider it one of the most dependable kinds. Apparently it bears well when considerable removed from other kinds.

Vest and **Hand** are similar shagbarks with very thin, ridged shells and meats of splendid quality. Hand bears quite young and in this way we believe is the better of the two.

Stratford is the earliest bearing shagbark we have, and it is a heavy producer. The smooth, white, thin-shelled nuts crack very easily, the kernels often come out whole, and have splendid quality. It is one of the earliest to ripen, in early years ripening here in late August. This variety grows well on bitternut stocks, and has given some wonderful results top-worked on them.

Hagen is our most rapid growing pure shagbark, and coming from Northern Iowa, we believe it one of the hardiest kinds. The nuts are large and crack out over 40% meats, mostly in halves, and are unexcelled in richness and flavor.

Des Moines and **Burlington** (also called Marquardt) **Hiccans** are grafted on Hardy Pecan roots and the supply is quite limited this year.

PRICES—One-year grafts, unbranched.	4-5 ft.	3-4 ft.	2-3 ft.
Beaver	\$	\$2.25	\$2.00
Bestall		2.25	2.00
Burlington	3.00		
Creager	2.50	2.25	
Des Moines		2.50	
Fairbanks	2.50	2.25	2.00
Hagen	3.00	2.50	2.00
Hand		2.50	2.00
Stratford	3.00	2.50	2.00
Vest		2.50	2.00

THE WINKLER HAZEL makes a splendid ornamental shrub 6 to 7 ft. high and produces the largest nuts of the native hazels. They have the splendid flavor of the wild hazelnut and in good seasons may be over an inch across. The bushes bear when two or three feet high and a single large bush has produced over six pounds of nuts. They are either self-pollenizing or pollenized by the wild floating pollen, anyhow pollenation is not the problem it is with the filbert varieties. In severe climates the staminate catkins are sometimes reported winter killed. This seldom occurs here and crop failures seem due to severe freezing at blooming time. Farther south Winkler is reported as bearing every year and far more satisfactory than the filberts. In the fall the foliage is especially attractive with scarlet and bronze tints.

Two-year	transplants,	2-3 ft	60c each	\$5.00 per 10
Two-year	transplants,	18-24 in.	50c each	4.00 per 10

ORDER SHEET

SNYDER BROS., INC., Center Point, Iowa

Date, 1937. Forward by: I	Frt Exp Truck or 1	Parcel Post	
То	About when		
P. O	State		
Street R. F. D. or P. O. box. Shipping point	Total of order		
If a variety is exhausted, may we substitut	e a similar one?		
If size ordered is exhausted, may we substitute a smaller one and refund balance?			
Quant. NAME OF VARIETY	Size	Amount	
' · · · · · · · · · · · · · · · ·		 	
	j(f		
	 3 		
	 \		
Total Carri	ied Forward		

(over)

ORDER SHEET—Continued

Quant.	NAME OF VARIETY	Size	Amount
	Carried Forward		
		[
•			
		j	
		j 	
•••••			
	TOTAL)	

Iowa Customers must add 2% Sales Tax

TERMS

PRICES given are for the stock, properly packed and delivered at the Nursery, the stations here, or at nearby towns, in case we make general deliveries there. Small plants will be sent postpaid by parcel post within the second zone, or the third zone if not too heavy. It is now possible, by cutting them back considerable, to send a few fruit trees 5 to 6 feet by parcel post, but it is not practical if several are wanted.

CONDITIONS. All orders are accepted on condition that they shall be void should any injury befall the stock from hail, frost, fire, or other causes beyond our control. Deliveries are subject to delay by bad weather, bad roads, strikes, accidents, embargoes, and causes beyond our control.

TERMS OF PAYMENT are cash on or before the delivery of the stock, unless previously otherwise agreed upon. Remittances may be by check or any convenient form, payable to Snyder Brothers, Inc.

SALES TAX of 2% is to be added to orders from Iowa customers. Please do not forget.

CLAIMS for errors or shortage will be considered if made immediately upon the receipt of the stock.

GUARANTEE OF GENUINENESS. While we exercise the utmost diligence to have all of our varieties true to name, and hold ourselves in readiness on proper proof to replace all trees, etc., that prove untrue to name, we do not give any warranty, expressed or implied, and in case of any error on our part, it is mutually agreed between the purchaser and ourselves that we shall not at any time be held responsible for any sum greater than amount originally paid for the said trees.

SHIPPING FACILITIES. Our facilities for shipping by either freight or express are excellent, as we are located adjacent the station grounds of both the C. R. I. & P. and W. C. F. & N. Railways. Nursery stock takes second class express rates, and small, distant orders are best sent this way.

TRUCK SERVICE can be arranged with local truckers at rates comparable to railroad freight rates, for those at a distance who have a truck load of stock and prefer to have it come that way. It is better for the stock to be sent by truck, for then it does not have to be crowded into crates or boxes, and is not subject to delays and transfers en route.

